PARTS EXPRESS
YOUR ELECTRONICS CONNECTION™

FREE SHIPPING EVERY DAY
*See page 2 for details

Prices Effective 7/1/13 – 8/31/13

Page 18

Hot Summer Deals

EUROCOM redefines installed sound — with exceptional style and value

behringer

Behringer EUROCOM 80 Watt 70V Mixer-Amplifier

Page 24

NEW
$239.00 EACH
List $341.00

FOUNTEK

Lightning-quick transient response!

Fountek Neo X 2.0 Ribbon Tweeter

Page 14

NEW
$126.65 EACH
List $164.99

DAYTON AUDIO

Wide bandwidth meets high sensitivity!

Dayton Audio 8" Wideband Midbass Neo Driver

Page 14

NEW
$137.81 EACH
List $179.99

Have fun in the sun with Dayton Audio Indoor/Outdoor Speakers

Page 5

As Low As
$61.33 PAIR

DAYTON AUDIO

Your Electronics Connection!

Thank you for your continued business! For over 25 years, Parts Express has stocked and sold the most popular audio/video and speaker building products available. From speakers to cables, and amplifiers to component parts, we offer everything you need to ensure your next project or installation is your finest.

Our customer service and technical support are second to none. Call or click Parts Express today to get the best products at the best prices!

Jeffrey Stahl
President / Founder

parts-express.com

Detailed product descriptions, user product reviews, diagrams, and a do-it-yourself resource area are online at parts-express.com. Orders placed before 4:00 PM ET are shipped the same day. Sign up on our site to receive our catalog and latest sales flyer!

PE Wholesale

Are you an OEM, installer/integrator, retailer, or in the gaming or amusement park business? We offer personalized service, exclusive discount pricing, outstanding tech support, and more. Go to **parts-express.com/wholesale** or call 1-866-366-4909.

Showroom



Come visit us at our showroom:

725 Pleasant Valley Dr.
Springboro, OH 45066
937-743-3000 ext. 131

EDU Sales

Universities, Colleges, K-12, and Technical Schools–we have a program just for you! Plus, we offer discounted pricing for all EDU accounts.

Go to **parts-express.com/education** or call 1-866-366-4909.

Government Sales

Parts Express is a GSA Contractor! Government customers can order online at **gsaadvantage.com**. Contract #GS-03F-0156V.

GSA
U.S. General Services Administration

Customer Support



Our team is trained and ready to assist via phone or email to quickly and accurately process orders and to provide product pricing and availability.

Our highly regarded technical support team has hands-on product experience and technical electronics knowledge. For assistance with your audio/video projects call **1-800-338-0531** or email **tech@parts-express.com**.

Free Shipping

- Free ground shipping (to a single address) for orders with a merchandise total over $98.
- Available only to online orders shipping to destinations within the contiguous U.S. (excluding APO/FPO).
- Wholesale, EDU, Government, and volume priced orders not eligible.
- Items not ground shippable due to weight, cube or aerosol restrictions do not qualify for free shipping. Some large, heavy, or bulky items may require additional shipping charges (noted in product details and at checkout on our website).
- Free shipping eligibility will not apply if items are cancelled which reduce the merchandise total below the minimum order requirement.
- Terms and conditions are subject to change without notice.

Industry Affiliates:

CEDIA · CEA Consumer Electronics Association · NAMM · infoComm INTERNATIONAL · ALMA INTERNATIONAL

We Accept:

VISA · MasterCard · DISCOVER NOVUS · AMERICAN EXPRESS · BillMeLater · PayPal

BLOWN OR DAMAGED SPEAKERS?

Let us make your old speakers look and sound new again!

Before After

Get an ***instant repair quote*** today!

SPEAKER REPAIR CENTER

Reconing is an art form at Parts Express

parts-express.com/src
1-800-270-7964

2013 MIDWEST AUDIOFEST

midwestaudiofest.com

Midwest Audiofest—The Premier Gathering for Audio Enthusiasts! Come join us for another year of festivities. Get amazing deals at the Warehouse Tent Sale, hear some chest pounding audio systems in the Auto Sound Challenge, and experience the high fidelity sound of creatively built speakers at the Speaker Design Competition. Three events in one for FREE! And back by popular demand—the Audio Swap Meet, where you can buy and swap anything and everything that's of interest to other electronic and audio enthusiasts. Hope to see you there for a day of fun, food, prizes, and exciting audio activities!

Saturday, July 13th | 8 AM - 5 PM | Springboro, Ohio

WAREHOUSE tent sale July 13 2013

SPEAKER DESIGN COMPETITION

AUTO SOUND CHALLENGE

AUDIO SWAP MEET

FOUNTEK

NEW

Page 10

Quality Hi-Fi loudspeaker components

In Fountek's early days, the company's NeoCD Series of ribbon tweeters redefined performance and value in this transducer category. Today, Fountek produces advanced full-range speakers with thin-foil aluminum cones, robust aluminum cone midbass drivers, and next-generation ribbon tweeters. Choose Fountek for your next high-end loudspeaker project, and you'll feel and hear the quality!

See our full selection of Fountek loudspeakers at parts-express.com.

Fountek Search

Table of Contents

Home Audio / Video . . . . . 4 - 7

Parts & Accessories . . . . . 8 - 10

Surveillance . . . . . 11 - 13

Speaker Building . . . . . 14 - 21

Speaker Building Project . . . 18 - 19

Professional Audio . . . . . 22 - 26

Car Audio . . . . . 27 - 30

Clearance Center 31

Dayton Audio takes performance to the edge!

Dayton Audio Micro Edge Series

- Perfect for home theater or music applications
- Rubber surrounds for solid bass
- 12 dB/octave optimized crossovers
- Visit parts-express.com for full specifications

Tweeter: *Treated silk dome tweeter produces audiophile-grade high frequency response*

Woofers: *Woven Kevlar® woofers create dynamic, fast bass*

Micro-Edge: *Dayton Audio's new Micro Edge frame offers a modern, minimalist look that disappears into any room*

#300-430
(15° angled design)

#300-434 / #300-432
(Includes square & round grills)

#300-436
(Installs horizontally or vertically)

#300-438

#300-440

Part #	Model	Description	Sold per	List Price	Price (1-3)	Price (4-UP)
300-430	ME650C	6-1/2" angled coaxial ceiling speaker	Each	$76.99	**$55.95**	**$51.48**
300-432	ME620C	6-1/2" coaxial ceiling speaker	Pair	131.99	**96.43**	**88.71**
300-434	ME820C	8" coaxial ceiling speaker	Pair	175.99	**128.81**	**118.50**
300-436	ME520MTM	Dual 5-1/4" MTM in-wall speaker	Each	89.99	**63.10**	**58.05**
300-438	ME620W	6-1/2" 2-way in-wall speaker	Pair	138.99	**101.67**	**93.53**
300-440	ME820W	8" 2-way in-wall speaker	Pair	168.99	**123.81**	**113.90**

Dayton Audio CS620C 6-1/2" Coaxial Ceiling Speaker Pair

SAVE OVER 15%

- 1" Mylar tweeter
- 6-1/2" carbon fiber woofer
- Popular "dog-ear" mounting system

Specifications: • Power handling: 30 watts RMS/45 watts max • Impedance: 8 ohms • Frequency response: 60-20,000 Hz • SPL: 89 dB 1W/1m • Dimensions: 8-1/2" dia. x 2-3/4" D • Cutout size: 7-3/8" dia. • Sold in pairs.

#300-402 ..... $70.99 LIST Regularly **$54.54** **$46.00** EACH

Dayton Audio CS620W 6-1/2" 2-Way In-Wall Speaker Pair

- Designed to disappear into the room
- 6-1/2" polypropylene woofer produces rich sound
- Clear and detailed 1" Mylar dome tweeter
- Great power handling and sensitivity

Specifications: • Woofer: 6-1/2" polypropylene cone • Tweeter: 1" Mylar • Power handling: 60 watts RMS/85 watts max • Impedance: 8 ohms • Frequency response: 50-20,000 Hz • SPL: 89 dB 1W/1m • Dimensions: 12" H x 8-1/2" W x 3-1/2" D • Cutout size: 10-3/4" H x 7-1/4" W • Mfg. #CS620W • Sold in pairs.

#300-036 ..... $90.99 LIST Regularly **$69.75** **$59.00** EACH

Adds volume and clarity to dialogue!

Audiosource S325 Soundbar Powered Speaker Bar System

AudioSource®

- Excels at movie sound effects and vocal intelligibility
- Remote control included
- Setup is easy, requiring no esoteric cables



The S325 is perfect for enhancing TV sound without the investment of a home theater. 80 watts of total power create a rich, involving soundfield in any living room. Run a stereo RCA or Toslink digital optical cable from the TV to the soundbar, plug the soundbar into an outlet, and setup is finished.

Specifications: • Audio power: 2 x 20 watts (3" woofers), 2 x 20 watts (2.5" full ranges) • Frequency response: 40-20,000 Hz • S/N: > 80 dB • THD: 0.3%, 1W, 1 kHz • Dimensions: 34" L x 5" H x 5.5" D.

#301-370 ..... $179.99 LIST **$98.65** (1-3) **$96.00** (4-UP)

Belden 6200UE 16 AWG 2C Plenum Speaker Cable

BELDEN
SENDING ALL THE RIGHT SIGNALS™

- Ideal for commercial audio installations and intercom systems
- CMP-rated, wall and plenum-ready cable with Flamarrest® insulation and jacket
- Jacket marked with room, zone, and footage for reference at a glance

Part #	Length	Price Each
102-1102	100 ft.	**$31.25**
102-1104	250 ft.	**63.60**
102-1106	500 ft.	**93.78**
102-1108	1000 ft.	**192.55**



RAVE **REVIEWS!** ***"My order was handled very professionally and swiftly. I guess you are stuck with me for life."***
Andra B, Barnwell SC

Enjoy the sound... and the sun!

NEW

DAYTON AUDIO

Dayton Audio Indoor/Outdoor Speakers

- 8 ohm versions for home audio indoor and outdoor applications
- 70V versions for distributed audio systems
- Audiophile tweaked crossover for the best possible sound

Dayton Audio's premium indoor/outdoor loudspeakers feature robust, weatherproof construction and excellent audio quality that exceeds the sound quality of much more expensive products, thanks to exclusive design and crossover tuning.

IO525 Specifications: • 5-1/4" mineral-filled polypropylene woofer with rubber surround • 1" metalized Mylar dome tweeter • Power handling: 40W RMS/75W max • Frequency response: 55-20,000 Hz • Sensitivity: 85 dB 1W/1m • Tap settings (70V models): 4W, 8W, 16W, 30W • Dimensions: 9.5" H x 6.75" W x 7.25".

IO655 Specifications: • 6-1/2" mineral-filled polypropylene woofer with rubber surround • 1" metalized Mylar dome tweeter • Power handling: 50W RMS/85W max • Frequency response: 45-20,000 Hz • Sensitivity: 87 dB 1W/1m • Tap settings (70V models): 4W, 8W, 16W, 30W • Dimensions: 11" H x 8.25" W x 8.75".

Part #	Model	Woofer Size	Color	Application	List Price	Price (1-3 PRS)	Price (4 PRS-UP)
310-002	IO525W	5-1/4"	White	8 ohm	$89.99	**$66.75**	**$61.33**
310-004	IO525B	5-1/4"	Black	8 ohm	89.99	**66.75**	**61.33**
310-006	IO525WT	5-1/4"	White	70V	109.99	**78.57**	**72.29**
310-008	IO525BT	5-1/4"	Black	70V	109.99	**78.57**	**72.29**
310-010	IO655W	6-1/2"	White	8 ohm	115.99	**85.70**	**78.86**
310-012	IO655B	6-1/2"	Black	8 ohm	115.99	**85.70**	**78.86**
310-014	IO655WT	6-1/2"	White	70V	134.99	**98.80**	**90.90**
310-016	IO655BT	6-1/2"	Black	70V	134.99	**98.80**	**90.90**

Dayton Audio IO435B 4" 3-Way Indoor/ Outdoor Speaker Pair

SPECIAL

- Threaded brass inserts for use with swivel-type speaker brackets
- Includes "U" brackets and mounting hardware
- Power handling: 50 watts RMS/100 watts max

DAYTON AUDIO

#310-030..... $59.99 LIST Regularly **$38.80** **$29.00** PAIR

ButtKicker BK-SK Simulation Kit

ButtKicker

NEW

- Great for simulation and first person shooter games
- Packages a 2 ohm stable amplifier with 90W of output and a mini LFE transducer together
- Includes an assortment of cables for connection to just about any system
- Mounting hardware not included

#300-9442 ..... $199.95 LIST **$169.99** EACH

TIC Corporation

The industry leader in outdoor sound!

TIC GS3 Omni Speaker

- Award-winning 360° omni-directional sound
- High-impact ABS in shrub green to blend in with any garden background
- 8" weatherproof woofer
- 2" aluminum cone tweeter

PRODUCT VIDEO

SPECIAL

#302-115..... $114.95 LIST Regularly **$78.00** **$69.88** EACH

TIC AMP10 Exterior Amplifier/Receiver

SPECIAL

TIC's AMP10 is an amplifier/receiver designed exclusively for outdoor use.

- Weatherproof design
- 4 x 50W power output for 4 or 8 ohm speakers
- CD and MP3 audio inputs
- AM/FM tuner built-in
- 12V power supply included

PRODUCT VIDEO parts-express.com

#302-150 ..... $129.95 LIST Regularly **$98.00** **$79.88** EACH

Transforms any computer chair into a silent subwoofer!

NEW

ButtKicker BK-GR2 Gamer Transducer Kit

- Adds the fourth dimension of realism to games
- Includes cables and a 90 watt amplifier with wired remote
- 30 minute setup using the included chair clamp

#300-9443 ..... $149.95 LIST **$139.99** EACH

Belden Brilliance 1309A 14 AWG 2C Direct Burial/CL3 Speaker Cable

NEW

BELDEN

- High strand count oxygen-free copper conductors for excellent flexibility
- CL3/CM-rated for in-wall use, but also suitable for outdoor or burial applications

MADE IN USA

Part #	Length	Price Each
102-1062	100 ft.	**$79.49**
102-1064	250 ft.	**178.86**
102-1066	500 ft.	**252.50**
102-1068	1000 ft.	**500.00**

New Pioneer home theater receivers for 2013

Pioneer VSX-823-K 5.1 Home Theater Receiver

NEW

- 5 x 80 watts (20-20,000 Hz, THD 0.08% @ 8 ohms)
- Digital file playback through LAN or USB connection
- Smartphone integration through iOS and Android control apps
- Pioneer MCACC room calibration tunes the sound to your listening space

Pioneer



The VSX-823-K has all the computer and smartphone connectivity features you demand from a modern home theater receiver.

Made for iPod iPhone iPad

PRODUCT VIDEO

parts-express.com

#250-636 .....$429.99 LIST **$397.50** EACH

Visit parts-express.com for more new Pioneer home theater receivers

Dayton Audio MA1240a Multi-Zone 12-Channel Amplifier

DAYTON AUDIO

- Class AB design delivers superior sound quality and performance
- Independent and bus inputs provide unparalleled flexibility

Specifications: • Rated power output per channel: 40 watts into 8 ohms, 60 watts into 4 ohms (0.09% THD) • Bridged output: 80 watts into 8 ohms (0.30% THD) • Dimensions: 16.7" W x 4" H x 14.25" D.

#300-815 .....$649.99 LIST Regularly **$494.78** **$444.00** EACH

HDMI so thin and flexible, you'll barely notice it's there!

Super Slim High-Speed HDMI Cable with Ethernet

NEW

- Connector body is 60% smaller
- Thin, ultra-fexible cable fits easily behind super thin wall mounts
- Cuts down on cable congestion and bulk

Part #	Length	List Price	Price (1-3)	Price (4-49)	Price (50-UP)
180-686	1 ft.	$8.99	$6.50	$5.90	$4.88
180-687	3 ft.	9.99	7.50	6.75	5.65
180-688	6 ft.	11.99	8.25	7.25	6.25

Wired Home 14 AWG OFC Speaker Cables with Banana Plugs

NEW

wiredhome.com

- 41 strand count for added flexibility
- High-purity oxygen-free copper
- UL listed PVC jacket with strain relief
- Nine spring tines for maximum surface contact and hold

PRODUCT VIDEO parts-express.com

Part #	Length	List Price	Price (1-3)	Price (4-UP)
181-440	6 ft.	$15.99	$12.18	$11.57
181-441	10 ft.	19.99	15.33	14.56
181-442	15 ft.	25.99	19.45	18.48
181-443	25 ft.	35.99	27.56	26.18

FiiO D07 TV Digital Analog Converter

FiiO

- High quality metal case and sturdy construction quality for years of service
- Ideal for connecting HDTV with legacy analog stereo equipment
- Compatible with PCM stereo and all popular multi-channel formats
- Accepts digital coaxial or toslink optical input up to 24-bit/96 kHz
- Provides stereo 3.5 mm stereo or left and right RCA line-level audio output

NEW

#230-134 ..... **$49.90** EACH

Slim-Plug 3.5 mm Audio Cables

- Connects to smartphones without the need to remove protective covers

Traditional 3.5 mm Slim Plug

*iPhone not included

Part #	Length	List Price	Price (1-3)	Price (4-49)	Price (50-up)
3.5 mm Male to Male					
240-051	1 ft.	$1.19	$ .80	$ .76	$ .72
240-052	3 ft.	1.69	1.15	1.09	1.04
240-053	6 ft.	2.39	1.70	1.62	1.53
240-054	12 ft.	4.09	2.90	2.76	2.61
240-055	25 ft.	7.69	5.45	5.18	4.91
240-056	50 ft.	14.49	10.35	9.83	9.32
240-057	75 ft.	21.49	15.35	14.58	13.82
3.5 mm Male to Female					
240-060	6 ft.	2.89	2.05	1.95	1.85
240-061	12 ft.	5.39	3.80	3.61	3.42
240-062	25 ft.	7.99	5.65	5.37	5.09
240-063	50 ft.	14.89	10.60	10.07	9.54
240-064	75 ft.	21.59	15.40	14.63	13.86

3.5 mm adapters introduce your phone to the wider world of home entertainment!

Slim-Plug 3.5 mm Adapter Cables

These adapter cables feature all the same benefits of Slim-Plug cables, but pair your 3.5 mm equipment with devices that use other connectors!

#240-065/#240-066

#240-068

#240-069

Part #	Description	Price (1-3)	Price (4-49)	Price (50-UP)
240-065	5 ft. 3.5 mm male to 2 x RCA male	$1.55	$1.47	$1.40
240-066	10 ft. 3.5 mm male to 2 x RCA male	2.30	2.19	2.07
240-067	8" 3.5 mm male to 2 x RCA female	2.55	2.42	2.30
240-068	8" 3.5 mm male to 2 x 3.5 mm female	2.70	2.57	2.43
240-069	6 ft. 3.5 mm male to 1/4" Mono male	2.50	2.38	2.25

Limited supply—stock up!

BUYOUT

SCOSCHE

Scosche 12 AWG Speaker Wire 18 ft. Spool

Scosche 12 AWG speaker wire is made with premium copper-clad aluminum (CCA). *Compare to $15*

#109-066.... **$3.95** (1-11) **$3.50** (12-99) **$2.96** 100-UP

The "Magic Box" increases your phone's music volume

Inductive Coupling Wireless Powered Speaker For iPhone, iPod, Smartphones, and MP3 Players

PRODUCT VIDEO parts-express.com

NEW

- Works via induction to amplify the sound of smartphones' onboard speakers
- Powered by USB or AA batteries for use on the desktop or on the go
- The rated 2 x 2W RMS output pushes a pair of 1" full-range drivers
- About as wide and long as an iPhone and about 1-1/2" thick
- 3.5 mm jack for direct signal input

A completely new concept in cell phone speakers, this "magic box" picks up the sound from your smartphone's puny onboard speakers by induction and amplifies it for satisfying portable or desktop sound. Simply turn on the powered speaker and set your smartphone on top, playing through its internal speaker. Adjust the positioning of the phone for the best sound and be amazed as the tinny, distant sound from your phone gains volume and immediacy. Dimensions: 4-3/4" L x 2-1/8" W x 1-9/16".

#520-206 ..... $29.99 LIST **$19.70** (1-9) **$17.20** (10-UP)

Your ticket to sleek desktop audio

KINYO

Kinyo PA-116 2.0 Powered Computer Speakers

The Kinyo PA-116B is a solution for desktop audio that won't unduly add to the clutter. The 2-1/2" point-source drivers deliver a coherent soundstage for music and movies.

#310-114 .. $14.95 LIST **$9.65** (1-3) **$9.17** (4-UP)

Kinyo SW-8119 2.1 Powered Computer Speakers with Subwoofer

NEW

- Standard 3.5 mm stereo input – perfect for computers, cell phones, or MP3 players!
- Convenient headphone port and volume control put control at your fingertips

Get full bodied sound with solid bass from the new SW-8119. Featuring unique modern design with quality speakers to deliver highs, mids, and lows with brilliant clarity, it's the perfect companion for any multimedia or entertainment on your personal computer.

PRODUCT VIDEO parts-express.com

#310-118 ..... $49.99 LIST **$34.76** (1-3) **$33.00** (4-UP)

Kinyo MS-150 Powered Speaker Bar with Stand for Tablet Computers, iPad & Smartphones

- Great sound from two 1-1/2" point source neodymium drivers and two passive radiators
- Never lose battery life with the integrated USB charging port
- 3.5 mm audio input (with included male-to-male cable) for connecting mobile device

Tablet computers are fantastic foundations for compact multimedia systems, but the sound from the puny on-board speakers is easily the weakest link in the system. The solution is the Kinyo MS-150, a tablet-friendly speaker bar with integrated stand.

#310-140 ..... $79.99 LIST **$34.29** (1-3) **$32.58** (4-UP)

Unbreakable Hi-Fi amplification that never needs batteries!

Sound EGG Audio Booster and Stand for iPhone

- Up to 13 dB increase in volume
- Requires no batteries
- Compatible with iPhone 4/4S/5

NEW

The Sound EGG for the iPhone 4/4S/5 is the most eggciting accessory to come along since the iPhone was hatched!

PRODUCT VIDEO parts-express.com

iPhone not included

#520-202 (For iPhone 5)

#520-204 (For iPhone 4/4S) ..... $9.99 LIST **$5.90** (1-3) **$4.97** (4-UP)

FiiO brings out the best in your headphones

NEW FiiO

FiiO E12 Portable Headphone Amplifier

- Superior construction – brushed aluminum enclosure, ALPS volume potentiometer, and WIMA capacitors
- Internal long-life rechargeable lithium battery delivers over 12 hours of playback on a single charge

#230-136 ..... **$129.00** EACH

Topping TP10-MK4 TA2024 Class T Digital Amplifier 15WPC

TOPPING

SAVE OVER 15%

- CNC-machined aluminum construction
- Small size—fits almost anywhere
- Audiophile sound quality
- Speaker protection circuitry
- 12 VDC, 3A switching power supply included

SPECIAL

#310-318 ..... $119.99 LIST Regularly **$89.00** **$75.00** EACH

Bravo Audio V2 Class A 12AU7 Tube Multi-Hybrid Headphone Amplifier

Bravo Audio

- Includes high-quality Shuguang 12AU7 tube
- Parallel 3.5 mm and RCA stereo inputs
- Gain control with Japanese ALPS potentiometer

NEW

Specifications: • Power requirement: 24 VDC • Input sensitivity: 100 mV • Input impedance: 100K ohm • Supported headphone impedance: 20 ~ 600 ohm • Gain: 30 dB • Frequency response: 10 Hz – 60 kHz (±0.25 dB).

#310-350 ..... $79.99 LIST **$69.80** (1-3) **$62.33** (4-UP)

Battery Holders

For your next battery-powered project, don't rely on duct tape or hot glue to secure your batteries in place! Battery holders provide a tidy mounting solution and offer a clean, professional look.

NEW

#140-769

#140-766

#140-772

#140-761

Part #	Description	Connection Style	Price (1-3)	Price (4-up)
140-771	1 x AAA Cell	Solder tab	$0.85	$0.77
140-772	3 x AAA Cell	6" wire lead	1.05	0.95
140-773	4 x AAA Cell	Solder tab	1.38	1.24
140-769	1 x AA Cell	Solder tab	1.13	1.02
140-770	3 x AA Cell	Snap terminal	1.26	1.13
140-765	1 x C Cell	Solder tab	0.97	0.87
140-766	2 x C Cell	Snap terminal	1.32	1.18
140-767	4 x C Cell	Snap terminal	1.97	1.78
140-768	6 x C Cell	Snap terminal	2.11	1.89
140-762	1 x D Cell	Solder tab	0.97	0.87
140-763	2 x D Cell	Snap terminal	1.32	1.18
140-764	4 x D Cell	Snap terminal	1.97	1.77
140-774	1 x N Cell	Solder tab	0.85	0.77
140-775	2 x N Cell	6" wire lead	0.96	0.86
140-760	1 x 19 mm (CR2032)	PCB mount	0.92	0.83
140-761	1 x 23.88 mm (CR2425)	PCB mount	0.92	0.83

Same Performance Better Price™ and Performance Guaranteed!

RAYOVAC

#140-100

#140-108

#140-106

#140-118

SAVE 15%

Rayovac alkaline batteries are the smart choice for your battery-powered devices. Battery industry performance tests show that Rayovac batteries perform as well as other leading alkaline brands, but give you that same performance at a better price. Plus, they are so confident in the performance of their alkaline batteries, Rayovac will give you your money back if you are not completely satisfied!

Part #	Size	Qty Per Pack	Regular	Special Price
140-100	AAA	6	$3.97	$3.25
140-102	AAA	24	12.97	11.00
140-104	AA	6	3.97	3.25
140-106	AA	24	10.97	9.30
140-108	C	4	5.97	5.00
140-110	C	12	13.78	11.60

Part #	Size	Qty Per Pack	Regular	Special Price
140-112	D	4	$5.79	$4.90
140-114	D	12	13.78	11.70
140-116	9V	1	2.99	2.54
140-118	9V	2	5.97	5.00
140-120	9V	8	12.78	10.80

Power-Sonic PS Series Rechargeable Sealed Lead Acid Batteries

- Sealed construction requires no maintenance
- Available in all popular sizes and values
- Fully charged, right from the factory

POWER PS SONIC

Power-Sonic PS Series rechargeable sealed lead acid batteries are leaders in their field. They adhere to industry-standard form factors, but lead the way in high tech features and competitive pricing.

Each battery uses valve regulated, spill-proof construction, and is made of rugged ABS plastic, allowing for safe operation in any position. While these batteries have an extended shelf life and may be quite useable up to one year after being charged, Power-Sonic recommends recharging at least once every six months for maximum battery life. The PS Series batteries are humidity-resistant and can be discharged over a temperature range of -40° F to +140° F.

Part #	Model	Rated Output Voltage	Rated Output Capacity	Dimensions (L x W x H)	List Price	Price (1-3)	Price (4-UP)
140-350	PS-612	6V	1.4 Ah	3.82" x 0.94" x 2.00"	$14.25	$8.32	$7.90
140-352	PS-640	6V	4.5 Ah	2.76" x 1.86" x 3.94"	11.95	6.95	6.60
140-354	PS-670	6V	7 Ah	2.95" x 1.34" x 3.70"	20.75	12.12	11.51
140-356	PS-6100	6V	12 Ah	5.95" x 2.00" x 3.70"	30.75	17.88	16.99
140-358	PS-1212	12V	1.4 Ah	3.78" x 1.69" x 2.04"	23.95	13.93	13.24
140-360	PS-1220	12V	2.5 Ah	7.00" x 1.38" x 2.36"	29.75	17.37	16.50
140-362	PS-1230	12V	3.4 Ah	5.24" x 2.64" x 2.36"	35.25	20.53	19.51
140-364	PS-1250F2	12V	5 Ah	3.54" x 2.76" x 3.98"	26.25	15.33	14.57
140-366	PS-1270F2	12V	7 Ah	5.95" x 2.56" x 3.70"	32.95	19.28	18.32
140-368	PS-1290	12V	9 Ah	5.95" x 2.56" x 3.70"	45.95	26.82	25.48
140-370	PS-12120	12V	12 Ah	5.95" x 3.86" x 3.70"	52.50	36.68	34.85
140-372	PS-12180NB2	12V	18 Ah	7.13" x 3.00" x 6.59"	74.50	49.97	47.65
140-374	PS-12350NB3	12V	35 Ah	7.72" x 5.14" x 6.22"	108.75	95.12	90.36

Velleman kits are great tools for learning the basics of electronics assembly: component identification, soldering, and the satisfaction of building something really cool.

NEW

HIGH-Q velleman-kit

Velleman Polarity Checker Kit

- Checks for speaker cable polarity, continuity, and short circuit
- Two-piece design clips to each end of cable
- Kit requires novice-to-intermediate soldering skills



Once assembled, this essential tool is capable of testing speaker cables for open circuits, shorts, and correct or reversed polarity. Requires one 9V battery (not included). Dimensions: 2-7/16" x 1-9/16". Model MK132.

#320-258 ..... **$7.75** (1-3) **$6.98** (4-UP)

Velleman Stereo Preamplifier Kit

- Up to 40 dB of gain allows the perfect match between source and amplifier
- Easy-to-assemble kit has only 18 components to solder

Specifications: • Required power supply: 10~30 VDC regulated (not included) • Current consumption: 5 mA (typical) • Maximum input voltage: 50 mV RMS • Output impedance: 1K ohms • Input signal: 5-10 mV • PCB dimensions: 1-3/4" x 2-5/8".

#320-262 ..... **$17.46** (1-3) **$15.71** (4-UP)

Velleman Universal 5~14 VDC Regulated Power Supply Kit

- Easy-to-assemble kit has only 9 components to solder

Specifications: • Input voltage: 7~16 VAC, 1A • Output voltage: 5~14 VDC (regulated) • Maximum output current: 1A • Maximum Dissipation: 7W • PCB dimensions: 2-5/16" x 3".

Note: The transformer (not included) must have an output 2V higher than the desired power supply output.

#320-263 ..... **$17.95** (1-3) **$16.16** (4-UP)

RAVE **REVIEWS!** ***"Wow, customer service is alive and well at PE. You've got my business for life!"*** *Craig T, Malvern PA*

A few rolls of magnet wire belong in every speaker builder or electronic tinkerer's tool chest

NTE Magnet Wire

NTE ELECTRONICS, INC.

NEW

- Perfect for custom speaker crossover inductors
- Can be soldered without stripping polyurethane/polyamide insulation
- Solid copper conductor

Part #	Wire Gauge	Length	Price (1-3)	Price (4-UP)
101-920	18 AWG	100 ft.	$18.75	$17.81
101-922	20 AWG	160 ft.	18.90	17.96
101-924	22 AWG	254 ft.	19.25	18.29
102-926	24 AWG	404 ft.	19.18	18.22

Variac Variable Transformers

NEW

- Easy operation by the knob on top of the unit
- Meter makes it easy to see output voltage
- Tabletop units available in three current capacities

#120-844

A variac is an extremely handy device that allows the user to dial 110/120 VAC wall voltage up or down to 0~130 VAC, measured by a meter on the front of the unit.

Most often, variacs are used on test benches, either to troubleshoot problems, test experimental circuits, or slowly power up vintage electronics to evaluate and perhaps recondition aging internal components.

Part #	Current Capacity	Price Each
120-840	3A	$55.75
120-842	5A	124.50
120-844	10A	168.20

BT-1A Bluetooth Receiver Module

BEST SELLER

- Add a Bluetooth audio receiver to nearly any amplifier
- Class 2 range of up to 15 meters (49.2 feet)
- 16-bit A2DP support for true stereo output
- Onboard power and audio jacks
- Includes connection cables
- Voice prompts for device pairing
- Bluetooth v1.2 compliant
- Dimensions: 3/4" W x 2-1/2" L

Only slightly larger than a postage stamp!

NEW

#320-353 ..... $29.99 LIST **$18.70** (1-3) **$17.90** (4-UP)

Measuring and testing just became easier and more affordable than ever!

Velleman LAB2U 3-In-1 Lab Unit Oscilloscope, Function Generator & Power Supply

NEW

velleman®

- Power supply features selectable DC voltage from 3-12 VDC 1A output
- All three sections are electrically separated for maximum isolation
- Includes full complement of probes and adapters

Velleman, a top name in electronic kits, also develops creative workbench solutions for technicians. The LAB2U is just such a product, combining a 10 MHz digital oscilloscope, 1 MHz digital function generator, and 3-12 VDC 1A regulated power supply in a single, compact, high quality unit.

#370-402 ..... $349.99 LIST **$209.49** EACH

Heavy Duty 14 AWG 10 ft. IEC AC Power Cord

BUYOUT

- Heavier gauge wire than most standard cables for greater current capacity
- Perfect for high-demand components like power amps and lighting effects
- C13 to NEMA 5-15P
- UL listed, CSA-approved for safety
- Hurry, supplies are limited!

$5.98 (20-UP)

#119-025 ..... *Compare to $18* **$7.90** (1-9) **$7.25** (10-19)

Ideal for travel!

Universal 12 VDC 2A Regulated AC Power Adapter with Worldwide Plug Kit

BUYOUT

- Includes interchangeable U.S. and international AC plugs for operation in Europe, the UK, and Australia
- 100~240 VAC, 50/60 Hz for universal compatibility
- DC plug: 2.1 mm x 5.5 mm (center positive)
- CE and UL listed
- Hurry, as quantities of this special buyout are limited!

This switching power supply is perfect as a general replacement for household electronics, including cordless telephones, portable hard drives, CCTV cameras, or for powering a variety of Class T amplifiers.

$7.60 (20-UP)

#129-145 ..... *Compare to $13* **$9.50** (1-9) **$8.75** (10-19)

24 LED Compact Work Light with Magnet and Hanger Clip

CLEARANCE

- Great for emergency repairs where you need light in a tight space
- Energy efficient, runs on 3 AAA batteries
- Mounts virtually anywhere with built in hook and magnet
- Rubberized black finish for non-slip grip

#361-500 ..... $6.99 LIST Was **$3.88** **$2.25** EACH

Be Prepared!

Rayovac SE3DLN Sportsman Xtreme 4W LED Lantern 240 Lumens

SPECIAL

- Extraordinary 240 Lumen lantern
- Easy find green LED blinks when lantern is off
- Run time: 150 hours
- 4 watts
- 3 Modes: High, Low, Strobe
- Water-resistant
- Folding tent hanger
- Dimensions 7.4" H x 4" W x 3" W

#361-470 ..... $41.99 LIST Regularly **$29.55** **$22.50** EACH

Mini Digital Sound Level Meter

SPECIAL

- One-button operation
- Measures SPL from 40 to 130 dB
- A-weighted SPL scale
- Large 3/4" backlit LCD display
- Includes 9V battery and windscreen

Specifications: • Frequency range: 31.5 Hz to 8 kHz • A-weighted • Large 3/4" backlit display • Auto power off • Threaded insert for standard tripod mount.

PRODUCT VIDEO parts-express.com

#390-722 ..... $38.99 LIST Regularly **$22.00** **$19.00** EACH

Perfect for professional bench testing and amplifier projects—the best power supplies we carry!

12 VDC Regulated Switching Power Supplies

- Efficient, cool-running design
- Adjustable regulated voltage output
- World compatible 90 to 264 VAC input
- Thoroughly protected from overload and over voltage conditions
- CE certificate awarded and UL recognized

Note: Minimum recommended power output wire gauge is 16 AWG.

NEW

#320-3147

#320-315

#320-3149

Part #	Voltage Range (VDC)	Current Capacity (Amps)	Power Output (Watts)	Dimensions (L x W x H)	List Price	Price (1-3)	Price (4-UP)
320-3147	10.8 ~ 13.2	4.2	50	5.08" x 3.86" x 1.50"	$34.99	$24.10	$23.17
320-3148	11.4 ~ 13.2	8.5	102	6.50" x 3.94" x 1.77"	49.99	32.73	31.58
320-3149	10 ~ 13.5	17	200	8.46" x 4.53" x 2"	59.99	47.50	44.91
320-315	10 ~ 13.5	29	348	8.46" x 4.53" x 2"	69.99	52.98	49.90

The core of your next amplifier project!

Overture™ Audio Power Amplifier Series
High-Performance Amplifier ICs

- LM3886T and LM3886TF deliver 68W continuous power into a 4Ω load
- Built-in SPiKe protects completely against over-voltage, shorts to the supplies, thermal runaway and temperature peaks
- High signal-to-noise ratio, low distortion designs
- Applications include self-powered speakers, surround-sound amplifiers…etc.

Part #	Description	Price (1-4)	Price (5-UP)
LM3886T	68W mono amp IC w/ non-insulated mounting tab	$11.04	$10.61
LM3886TF	68W mono amp IC w/ insulated mounting tab	9.88	9.25

Four channels of Tripath power!

CLEARANCE

4 x 100W Amplifier Board

- Perfect Class-D architecture utilizing Tripath chips
- Four channels—each up to 100W
- Up to 90% efficiency
- Recommended power supply #320-316

#320-302 ..... $99.99 LIST Regularly $52.00 **$45.00** EACH

Small enough for modern audio applications!

Class T Tripath TA2024 Amplifier Board

Hot Buy!

NEW

- Pre-assembled, pre-tested for easy project integration
- Class T fidelity and energy efficiency
- 2 x 15W continuous power, adequate for most speakers

Specifications: • Output power: 9W x 2 @ 4 ohms (0.04% THD+N), 11W x 2 @ 4 ohms (0.1% THD+N), 6W x 2 @ 8 ohms (0.1% THD+N), 15W x 2 @ 4 ohms (10% THD+N), • Efficiency: 88% @ 10W, 8 ohms • Dynamic range: 102 dB • Recommended power: 12 VDC, 2A • Dimensions: 90 mm x 53 mm.

#320-600 .....$19.99 LIST **$13.80** (1-9) **$12.24** (10-UP)

Save big on this popular power supply!

BUYOUT

12 VDC 1200mA AC Adapter

This adapter supplies 1.2A of DC power through its center-positive 2.1 x 5.5 mm tip. A UL-listing ensures that this adapter meets stringent safety standards. 6 ft. cord.

$3.88 EACH
#129-083

Compare to $10

12V RGB 300 LED 16 ft. Tape Lighting Strip

Free Controller!
Includes a 44-key LED controller, a $9.97 value!



SPECIAL

SMD 5050 5x5 mm LED

- Longer life and lower energy consumption than rope lights
- Combine with an LED control unit for amazing effects
- Weather resistant LED strip: 300 RGB LEDs
- Adhesive backing included
- Cut-to-length, peel-and-stick design
- 12 VDC, 2A power requirement
- Dimensions: 7/16" W x 16.4" L

#073-076..... $79.99 LIST Regularly $59.90 **$49.90** EACH

For sophisticated LED strip arrays!

SPECIAL

High Power 12V RGB LED Control Unit with IR Remote

- Control up to 49 feet of LED strip lighting (RGB or 3 different colors)
- Link multiple controllers together—up to 164 feet apart!
- Includes 24-key IR remote control
- Adhesive backed and includes screws for permanent mounting
- Power supply required

#073-005..... $59.99 LIST Regularly $34.98 **$29.98** EACH

Add MP3 playback to your projects!

MP3 USB SD Player Module with Remote Control

PRODUCT VIDEO

- Add an amplifier and power supply to complete your own amplified MP3 player
- Includes user manual, remote functions, and pin out diagram
- Requires 5 VDC power supply
- Small footprint

#320-350 .....$39.99 LIST **$15.90** (1-3) **$14.80** (4-UP)

Great for use as hidden power switches!

BUYOUT

Omron Micro Switch 6A 125-250 VAC

Specifications: • Current rating: 6A @ 250 VAC • Maximum operating force: 100 gf • Contact gap: 0.5 mm • Dimensions: 1.50" L x 0.41" W x 0.88" H.

$1.29 (500-UP)

#069-150 ..... *Compare to $3* **$1.78** (1-99) **$1.57** (100-499)

TALOS SECURITY G7+ DSP TECHNOLOGIES

G7+ SDNR

- *700 TVL high resolution CCD for the best quality images*
- *Super Low Light day & night performance means you will have the best image day or night*
- *Super Digital Noise Reduction (SDNR) function delivers better image clarity*
- *Smart IR function – no more hot spots using the infrared illuminators for optimum see-in-the-dark performance*
- *3 year limited warranty – peace of mind knowing you are covered with Talos*

Super Digital Noise Reduction

Conventional DSP

G7 + DSP

Super Low Light

Conventional Camera

G7 + DSP

Auto IR Brightness Control (Smart IR)

Conventional Camera

G7 + DSP

Talos Security BX700 Box Camera No Lens

- 1/3" Sony Super HAD II CCD
- Highly accurate 700 TVL color resolution
- Great performance in low-light conditions – minimum 0.01 Lux
- Super Digital Noise Reduction technology (SDNR) enhances clarity
- Dual voltage (24 VAC/12 VDC) expands power options
- Choose a lens separately to suit your application

"Box" style camera designs like the Talos BX700 are used in many commercial or institutional applications. A dual voltage 12 VDC or 24 VAC power requirement and a service monitor output make this camera suitable for new installations or replacement.

Specifications: • Camera style: Box • White balance: Auto • Gain control: Auto • BLC: Switchable • Lighting level control: DC Automatic Iris • Lens: CS mount • Power requirement: 12 VDC / 24 VAC dual voltage • Dimensions: 2.40" x 2.01" x 4.57".

#334-364..... 157.50_{LIST}$ **133^{88}** (1-4) **127^{18}** (5-UP)

Talos Security DC700V Indoor Dome Cameras

- 1/3" Sony Super HAD II CCD
- Highly accurate 700 TVL color resolution
- 2.8 ~ 12 mm Varifocal lens with Auto Iris
- Great performance in low-light conditions – minimum 0.01 Lux
- Super Digital Noise Reduction technology (SDNR) enhances clarity
- Dual voltage (24 VAC/12 VDC) expands power options

A dome style camera is the most versatile camera for commercial or residential installations. The multiple mounting configurations allow the camera to mount on the wall or ceiling.

Specifications: • Camera style: Dome • White balance: Auto • Gain control: Auto • Lighting level control: DC Automatic Iris • Power requirement: 12 VDC / 24 VAC dual voltage • Dimensions: 5.12" W x 4.09" H; 3.94" dome dia.

#334-374 (DC700V - White)

#334-376 (DC700VB - Black)..... 187.50_{LIST}$ **159^{38}** (1-4) **151^{41}** (5-UP)

Talos Security BC700VIR18 Indoor/Outdoor IR Bullet Camera

- 1/3" Sony Super HAD II CCD
- 2.8 ~ 12 mm Varifocal lens with Auto Iris
- Easy installation with 3-axis globe bracket
- IP66 environmental rating for all-weather use
- Service video output

With its 18 IR LEDs, the Talos BC700VIR18 indoor/outdoor bullet camera throws IR illumination up to 50 ft., firing automatically when ambient light falls below 1 lux. Auto Iris lens self-adjusts to keep the image consistent as lighting conditions change.
A removable sunshade reduces lens flare.

Specifications: • Camera style: IR bullet • Image device: 1/3" Sony Super HAD II CCD with 470K pixels • ICR type: True Day & Night • Environmental rating: IP66 (weather resistant) • Power requirement: 12 VDC • Dimensions: 3.46" x 4.65" x 7.80".

#334-404..... 222.50_{LIST}$ **189^{13}** (1-4) **179^{67}** (5-UP)

Talos Security DV700V Vandal Resistant Indoor/Outdoor Dome Cameras

- Rugged IP67-rated die-cast housing can be installed in harsh environments and is vandal proof
- 1/3" Sony Super HAD II CCD image sensor
- 700TV lines (color) for superior resolution
- Super Digital Noise Reduction Technology (SDNR)
- Defog function and Auto IR Brightness Control (ABC)
- Dual voltage (24 VAC/12 VDC) expands power options
- 3-axis mount and service monitor output expedite installation and surveillance system setup

Specifications: • Camera style: Dome • Minimum illumination: 0.01 lux (0 lux for DV700VTIR) • White balance: Switchable • Gain control: Switchable • BLC: Switchable • Lighting level control: DC Automatic Iris • Dimensions: 5.35" dia. x 4.37" H; Dome: 3.94" dia.

#334-386 (DV700V)..... 217.50_{LIST}$ **184^{88}** (1-4) **175^{63}** (5-UP)

#334-400 (DV700VTIR)..... 267.50_{LIST}$ **227^{38}** (1-4) **216^{00}** (5-UP)

Talos Security protects your home and property!

NEW

Talos Security H.264 Surveillance DVRs

TALOS™ SECURITY

Now ships with hard drive installed — ready to go!

- Includes your choice of installed 1TB or 2TB SATA hard drive
- H.264 video compression, the same format used for Blu-ray discs
- Network access from any PC on your home network or across the Internet
- View the DVR feed with Android and iPhone* smartphones
- Alarm recording by external device, or built-in video motion detection

Make a Talos Security DVR the center of your surveillance system and experience true peace of mind. DVRs include: power supply, remote control, USB mouse, and CD with remote monitoring software.

Specifications: • Video compression: H.264 • Inputs: Video: BNC; Audio: RCA • Outputs: Video: 1 BNC and 1 VGA (HD-15); Audio: 1 RCA • Record rate/resolution: D1: 30 fps @ 720 x 480; Half D1: 60 fps @ 720 x 240; CIF: 120 fps @ 352 x 288 • Storage: One SATA HDD, 1TB or 2 TB (installed) • USB: Mouse (rear), Flash drive (front) • Dimensions: 12-1/2" L x 2" H x 11-1/4" D.

**Requires purchase of viewer from the Apple App Store, we recommend MEyeProV2 and DNS account.*

Back

Part #	Model	Camera Inputs	Hard Drive	List Price	Price (1-2)	Price (3-UP)
4-channel DVR						
334-263	DR4001	4	1TB	$420.00	**$251.50**	**$238.90**
334-262	DR4002	4	2TB	476.50	**284.25**	**270.00**
8-channel DVR						
334-265	DR8001	8	1TB	460.50	**274.71**	**260.98**
334-264	DR8002	8	2TB	516.00	**307.88**	**292.49**
16-channel DVR						
334-267	DR1601	16	1TB	500.00	**298.34**	**283.42**
334-266	DR1602	16	2TB	555.50	**331.51**	**314.93**

Talos Security 4-Camera DVR Surveillance Packages

NEW

- Compact DVR housing can be concealed easily
- Includes four high-resolution cameras, cables, and power supplies
- Connects to a home network via Ethernet port for convenient remote access
- Indoor/outdoor cameras can see in the dark for protection day or night

You have been thinking about a surveillance system—compiling and calculating the components you think you need—but are just not sure you've got it all covered. The Talos 4-camera surveillance packages take the quesswork out of your surveillance system design.

H.264 video compression ensures maximum recording time, while preserving the quality of the recorded video. Stores up to 6 weeks (1TB) or 3 months (2TB) on the installed hard drive, or set the DVR to overwrite earlier video so it never needs to stop recording.

Four 600 line high-resolution color cameras include 12 IR LEDs to illuminate the area, projecting a 50 ft. light visible to the camera but not to an intruder. The weatherproof aluminum housing with sunshade will protect the camera whether used indoors or out.

#334-269 (1TB - DK1401) ..... 597.00_{LIST}$ **$338.50** (1-2) **$321.58** (3-UP)

#334-268 (2TB - DK1402) ..... 653.00_{LIST}$ **$389.59** (1-2) **$370.00** (3-UP)

Talos Security BC650F24 Indoor/ Outdoor IR Bullet Camera

- 1/3" Super High Sensitivity CCD with 3.6 mm fixed lens
- 650TV lines color resolution and SDNR (Super Digital Noise Reduction) for a sharp image
- 3-axis mounting system simplifies installation
- 24 Smart IR LEDs illuminate up to 85 ft. distance
- Uses easily available and efficient 12 VDC power
- IP66 (weather resistant) environmental rating
- Dimensions: 6.14" x 3.62"

NEW

#334-402 ..... 120.00_{LIST}$ **$102.00** (1-4) **$96.90** (5-UP)

Talos Security Dome Camera 1/3" CCD 3.6 mm Lens & IR

NO LIGHT CAMERA

SAVE 15%

- 1/3" color CCD
- Produces 420 lines of video
- See in the dark up to 100 ft.
- Sealed for use in contact with direct rain and high humidity
- Power requirement: 12 VDC, 400 mA

360° x 90° pan and tilt allow you to quickly set the camera for the most suitable viewing angle. Only 3-5/8" diameter.

SPECIAL

#334-114 ..... 71.99_{LIST}$ Regularly **$54.78** **$46.50** EACH

Talos Security BC2420 Color Indoor/Outdoor IR Bullet Camera

SPECIAL

SAVE 20%

- 1/3" Sony high-resolution CCD
- 420 lines of resolution
- 0 lux low light sensitivity
- IR illumination for night-time viewing
- 3.6 mm wide angle lens

#334-136.....64.99_{LIST}$ Regularly **$49.50** **$39.60** EACH

Fits in tight spaces where bulkier cameras cannot

NEW

Talos Security DVM620F Mini Vandal-Resistant Dome Camera

- Engineered for minimal size combined with resistance to vandalism
- Accurate 1/3" Sony Super HAD CCD with 620TV lines of resolution
- IP66 environmental rating denotes certified weather resistance
- High sensitivity, even at ultra-low light levels of 0.01 lux
- Easy installation with 3-axis gimbaled bracket

The DVM620F's rugged, heavy duty housing is precision-machined from solid aluminum, while its shape is designed specifically to make it difficult to grasp and almost impossible to pull off a wall or ceiling.

Specifications: • Lighting level control: Electronic shutter • Lens: 3.6 mm • Power requirement: 12 VDC • Dimensions: 3.64" W x 2.46" H; Dome: 2.36" dia.

#334-384..... 122.50_{LIST}$ **$104.00** (1-4) **$98.90** (5-UP)

RAVE **REVIEWS!** ***"Parts Express is the best online mail order company I have seen so far, and I've been a DJ since 1978."*** *Michael R, Baldwin NY*

Installation and service of surveillance systems just got easier!

TALOS SECURITY

SPECIAL

Talos Camera and Cable Tester

- Built-in monitor and power supply to test cameras in place
- Displays video quality in IRE and mV
- Test operation of PTZ cameras
- UTP cable tester built-in
- Includes carrying case and connection cables

The Talos camera and cable tester is a multi-function tool designed specifically for the surveillance professional. 2-3/4" color LCD monitor and 12 VDC, 1A power output make testing a camera in place possible.

Includes: • Power supply • BNC video cable • RS422/485 cable • RS232 serial cable • UTP remote • Audio input cable • Camera power cable • Test set neck strap • Carrying case with neck strap.

#334-225.....324.99_{LIST}$ Regularly **$225.00** **$198.00** EACH

Talos Security 12 VDC Power Supply Panels

NEW

Power all of your cameras from a common location for a clean and professional installation. Power panels easily save money since an electrician is not required to install a dedicated electric outlet near each camera location. • Protection against over-voltage, over current, and output short circuit • Input voltage: 100~240 VAC, 50/60 Hz.

Part #	Model	Camera Channels	Current Capacity	List Price	Price (1-4)	Price (5-UP)
Standard Power Panels feature individual PFC protection (fuse-less type)						
334-438	PS0910ADC	9	10A	$72.50	**$61.63**	**$58.54**
334-440	PS1815ADC	18	15A	92.50	**78.63**	**74.69**
UL Listed Power Panels feature individual fuse protection						
334-442	PS0910ADCUL	9	10A	92.50	**78.63**	**74.69**
334-444	PS1812ADCUL	18	12A	110.00	**93.60**	**88.83**

Power as many as four cameras from a single source!

SAVE 15%

- Operate multiple cameras from a single, ultra-efficient power supply
- 12 VDC, 5A output
- Four male 2.1 mm x 5.5 mm DC power plugs
- World power compatible

Specifications: • Input voltage: 100~240 VAC, 50/60 Hz, 1.5A • Output voltage: 12 VDC, 5A • Output plugs: Male 2.1 mm x 5.5 mm, center positive • Power cord length: 48" • Lead length: 18".

#334-117 ..... 25.99_{LIST}$ Regularly **$19.50** **$16.50** EACH

Pre-terminated "Siamese" surveillance cables make installation a breeze!

- BNC video and DC power in one convenient run
- Installs where there is no accessible power outlet

Part #	Length	List Price	Price (1-3)	Price (4-UP)
335-358	25 ft.	$12.99	**$9.97**	**$9.54**
335-360	50 ft.	22.99	**17.27**	**16.41**
335-362	75 ft.	30.99	**23.43**	**22.26**
335-364	100 ft.	38.99	**29.90**	**28.86**

Bullet or dome — your choice only $76.67 each!

CHANNEL VISION™

Channel Vision Color Cameras with IR Illumination

#332-544

#332-546

- High quality 1/3" hi-res CCD sensor
- 3.6 mm lens provides a wide viewing angle
- 540 TV lines of resolution
- 24-LED IR illuminator with built-in light sensor allows video capture 60 feet away in total darkness

The stylish design and small size make these ideal for residential and small business CCTV installations where the camera must be unobtrusive and capable of viewing in total darkness.

#332-544 (6126 - Dome Camera)

#332-546 (6026 - Bullet Camera) ..... 115.00_{LIST}$ **$76.67** EACH

Appears to be nothing more than a stylish timepiece...

velleman®

Velleman Video Capture Camera Watch

- For discreet audio and video recording
- 2GB integrated flash memory
- Up to 150 minutes of recording time (depending on camera settings)
- USB 2.0 plug and play device; USB cable included
- Built-in Lithium-ion battery (rechargeable via USB cable)

The Velleman video capture camera watch is a miniaturized integrated camera and recorder, cleverly packaged inside an attractive wristwatch case. Featuring a 2GB integrated flash memory, the CAMCOLVC10 provides up to 150 minutes of recording time.

#320-180 ..... **$89.90** EACH

Extreme sports call for extreme video!

Talos Security Color Sport Helmet Camera with Integrated DVR

$39.00 EACH #334-122

- Built-in laser diode viewfinder
- 640 x 480 resolution
- Built-in microphone
- Supports up to 32GB SD card (not included)

CLEARANCE

Was $59.00

2.1 x 5.5 mm DC Power Connector to Screw Terminal Adapters

#335-370

#335-372

- Ideal for field termination and perfect to keep in the toolbox
- Common 2.1 x 5.5 x 9 mm size
- Allows for solderless termination of DC power cables
- Available as plug or jack configuration

Quickly and securely terminate bare wire with these barrel plugs without soldering. The common barrel dimensions make them perfect for use with CCTV cameras, amplifiers, and projects.

#335-370 (Plug)

#335-372 (Jack) ..... 1.99_{LIST}$ **99¢**$_{(1-9)}$ **89¢**$_{(10-24)}$ **75¢**$_{(25-UP)}$

FOUNTEK

Fountek produces advanced full-range speakers with thin-foil aluminum cones, robust aluminum cone midbass drivers, and next-generation ribbon tweeters. Choose Fountek, you'll feel and hear the quality!

NEW

True ribbon design for unparalleled high frequency response

Ribbon Neodymium Tweeters

- Amazing transparency combined with lightning quick immediacy
- Wide horizontal off-axis dispersion for larger sweet spots
- Neo X tweeters use 12 mm wide ribbon to extended response lower
- NeoCD3.5H is acoustically loaded for high sensitivity

#296-701

#296-703

#296-709 & #296-711

Part #	Model	Faceplate Dimensions	Impedance (Ohms)	Frequency Response (Hz)	Power Handling RMS (Watts)	Sensitivity (2.83V/1m)	List Price	Price (1-3)	Price (4-UP)
296-701	NeoCD 1.0	3.94" dia.	5	2,000-40,000	12	90 dB	$72.99	**$55.45**	**$52.81**
296-703	NeoCD3.5H	4.33" H x 3.86" W	7	1,100-30,000	12	95.5 dB	94.99	**72.50**	**69.05**
296-705	Neo X 1.0	3.86" H x 2.74" W	8	2,000-40,000	20	92 dB	127.99	**98.20**	**93.52**
296-707	Neo X 1.0*	3.86" H x 2.74" W	8	2,000-40,000	20	92 dB	127.99	**98.20**	**93.52**
296-709	Neo X 2.0	3.79" H x 1.97" W	8	1,200-40,000	25	94 dB	164.99	**126.65**	**120.62**
296-711	Neo X 2.0*	3.79" H x 1.97" W	8	1,200-40,000	25	94 dB	164.99	**126.65**	**120.62**
296-713	Neo X 3.0	5.67" H x 2.74" W	8	1,200-40,000	30	95 dB	213.99	**164.25**	**156.43**
296-715	Neo X 3.0*	5.67" H x 2.74" W	8	1,200-40,000	30	95 dB	213.99	**164.25**	**156.43**

** Indicates silver faceplate*

Amazingly flat, full-range performance

Full-Range Drivers

- Attractive thin-foil cones for ultra-fast transient response
- Great for single driver speaker designs
- High-end drivers with competitive prices
- FE85 uses ferrite, and Fountek's other full range drivers use neo motors

#296-717

#296-719

#296-721

#296-723

Part #	Model	Dimensions (A x B x C)	Impedance (Ohms)	Frequency Response (Hz)	Power Handling RMS (Watts)	Sensitivity (2.83V/1m)	List Price	Price (1-3)	Price (4-UP)
296-717	FE85	3.55" x 2.76" x 1.56"	8	100-25,000	12	85.7 dB	$17.99	**$13.25**	**$12.62**
296-719	FR88EX	3.48" x 2.87" x 1.50"	8	95-25,000	15	84.3 dB	51.99	**39.65**	**37.76**
296-721	FR89EX	3.48" x 2.87" x 1.68"	8	70-20,000	25	83.6 dB	64.99	**49.40**	**47.05**
296-723	FR135EX	5.73" x 4.53" x 2.71"	8	50-26,000	40	85.1 dB	132.99	**101.70**	**96.86**

Low distortion and great detail meet fast midbass punch

Midwoofer Drivers

- Attractive satin aluminum cones with phase plugs
- Optimized motor for low distortion and excellent detail
- Rubber surrounds with cast aluminum frames
- Easy to integrate with ribbon tweeters

Fountek midwoofers are perfect choices for compact sealed and ported mini-monitor speaker projects. Additionally, these work equally well as dedicated midrange speakers in 3-way speakers. A satin anodized cone adds a stylized finish, while the cast frame adds rigidity.

Part #	Model	Dimensions (A x B x C)	Impedance (Ohms)	Frequency Response (Hz)	Power Handling RMS (Watts)	Sensitivity (2.83V/1m)	List Price	Price (1-3)	Price (4-UP)
296-727	FW146	5.73" x 4.53" x 2.70"	8	45-4,000	35	86.1 dB	$47.99	**$36.85**	**$35.10**
296-729	FW168	7.01" x 5.75" x 2.95"	8	40-4,000	50	87.3 dB	59.99	**45.95**	**43.76**
296-731	FW200	8.54" x 7.28" x 3.50"	8	35-3,000	75	88 dB	78.99	**60.45**	**57.58**

Experience effortless, uncolored high frequency response!

Dayton Audio AMT1-4 Air Motion Transformer Tweeter

DAYTON AUDIO

- Folded Kapton ribbon diaphragm made by Mundorf in Germany
- Clean, highly detailed, and dynamic output
- Capable of high SPL without distortion


#275-090

#275-091

Specifications: • Power handling: 30 watts RMS/60 watts max with minimum crossover frequency of 2,500 Hz at 12 dB/octave • Impedance: 4 ohms • Frequency range: 2,500-30,000 Hz • SPL: 95 dB 1W/1m • Dimensions: A: 3-3/4" B: 3", C: 7/8".

#275-090 (AMT1-4) ..... 199.99_{LIST}$ **148^{90}** (1-3) **141^{46}** (4-UP)

#275-091 (Diaphragm) ..... **99^{80}** (1-3) **94^{81}** (4-UP)

Dayton Audio PM Series Wideband Midbass Neo Drivers

NEW

- Klippel-optimized, high-performance design
- Kevlar-reinforced paper cone for excellent detail
- Perfect complement for ribbon and planar tweeters

PM180-8 6-1/2"

Specifications: • Power handling: 30 watts RMS/60 watts max • VC_{DIA}: 1" • Le: 0.71 mH • Impedance: 8 ohms • Frequency response: 55-12,000 Hz • Fs: 55 Hz • SPL: 94 dB 1W/1m • V_{AS}: 1.05 cu. ft. • Q_{TS}: 0.29 • X_{MAX}: 4.6 mm • Dimensions: A: 7.09", B: 5.71", C: 2.86".

#295-343 ..... 147.99_{LIST}$ **113^{59}** (1-3) **108^{26}** (4-UP)

PM220-8 8"

Specifications: • Power handling: 40 watts RMS/80 watts max • VC_{DIA}: 1" • Le: 0.85 mH • Impedance: 8 ohms • Frequency response: 43-10,000 Hz • Fs: 43 Hz • SPL: 95 dB 1W/1m • V_{AS}: 2.60 cu. ft. • Q_{TS}: 0.34 • X_{MAX}: 4.6 mm • Dimensions: A: 8.72", B: 7.13", C: 3.49".

#295-345 ..... 179.99_{LIST}$ **137^{81}** (1-3) **132^{29}** (4-UP)

big-speaker engineering small speaker format

NEW

Dayton Audio is pleased to introduce the new **Commercial Engineering (CE) Series** of small loudspeaker drivers. Engineers, designers, and integrators will benefit from how effortlessly these speaker components satisfy the diverse demands associated with consumer electronics and audio-enabled projects.

These versatile yet economical loudspeakers are available in sizes from 28 mm (1-1/8") to 90 mm (3-1/2") in diameter, and with power ratings from 1.5 watts to 5 watts continuous RMS power. All feature neodymium motor systems.

Part #	Model	Frame Style	Diaphragm Material	Impedance (Ohms)	Frequency Response (Hz)	Power Handling (Watts) RMS	Power Handling (Watts) Peak	Sensitivity (2.83V/1m)	List Price	Price (1-99)	Price (100-UP)
285-101	CE32A-8	1-1/4" square	Aluminum	8	240-20,000	2	4	77.9 dB	$4.99	**$3.65**	**$3.48**
285-103	CE32A-4	1-1/4" square	Aluminum	4	240-20,000	2	4	81 dB	4.99	**3.65**	**3.48**
285-105	CE28A-4S	1-1/8" square	Aluminum	4	350-20,000	1.5	3	78.9 dB	4.99	**3.77**	**3.59**
285-107	CE28A-4R	1-1/8" round	Aluminum	4	300-20,000	2	4	79 dB	4.99	**3.27**	**3.11**
285-109	CE46P-4	1-7/8" square	Paper	4	150-18,000	3	6	81 dB	6.99	**4.81**	**4.58**
285-111	CE52P-4	2" square	Paper	4	220-20,000	3	6	86 dB	10.99	**8.27**	**7.88**
285-113	CE30P-4	1-1/4" round	Paper	4	280-14,000	2	4	81 dB	4.99	**3.55**	**2.58**
285-115	CE40-28P-8	1-1/8" x 1-1/2" oval	Paper	8	550-15,000	2	4	75 dB	4.99	**3.31**	**2.24**
285-117	CE40P-8	1-1/2" round	Paper	8	200-20,000	2	4	83 dB	5.99	**3.97**	**2.87**
285-119	CE70-30P-8	1-1/4" x 2-3/4" oval	Paper	8	310-20,000	2	4	85 dB	5.99	**4.10**	**2.79**
285-121	CE70-40P-8	1-5/8" x 2-3/4" oval	Paper	8	420-20,000	3	6	83 dB	6.99	**4.76**	**3.41**
285-123	CE90-50P-8	2" x 3-1/2" oval	Paper	8	320-20,000	5	10	87 dB	6.99	**4.97**	**3.55**

Save on these unique speakers from Tang Band!

TB SPEAKERS

Great for Car Audio to replace tweeters and improve imaging!

Tang Band W2-852SH 2" Shielded Driver

SPECIAL

- Unique full range design with a vented spider and S-roll surround
- Dust cap is attached directly to the voice coil for improved high frequency response

Specifications: • Power handling: 10 watts RMS/20 watts max • Impedance: 8 ohms • Fs: 165 Hz • SPL: 86 dB 1W/1m • Vas: 0.01 cu. ft. • Qts: 0.36 • Xmax: 1 mm. Dimensions: A: 2.24", B: 2.04", C: 1.39".

#264-808 ..... $28.05 LIST Regularly **$21.58** **$16.00** EACH

Tang Band W3-593SF 3" Full Range Driver

- Shielded design protects sensitive electronics
- Solid aluminum phase plug improves dispersion

Specifications: • Power handling: 12 watts RMS/25 watts max • Impedance: 8 ohms • Frequency range: 110-20,000 Hz • Fs: 110 Hz • SPL: 86 dB 1W/1m • Vas: 0.06 cu. ft. • Qts: 0.59 • Xmax: 0.5 mm • Dimensions: A: 3-3/16", B: 3-1/16", C: 2-1/4".

#264-809 ..... $29.42 LIST Regularly **$22.63** **$17.00** EACH

Tang Band W4-656SC 4" Shielded Driver

The textured PPM cone, rubber surround, large cast frame, and large shielded motor structure give this woofer a sense of quality not found on most small drivers.

Specifications: • Power handling: 45 watts RMS/90 watts max • Impedance: 8 ohms • Frequency range: 65-15,000 Hz • Fs: 65 Hz • SPL: 87 dB 1W/1m • Vas: 0.18 cu. ft. • Qts: 0.35 • Xmax: 3 mm • Dimensions: A: 4-15/16", B: 3-3/4", C: 2-7/8".

#264-820 ..... $19.42 LIST Regularly **$32.95** **$25.00** EACH

Build your own full-range speaker bars!

Tang Band W23-1287SI 2x3 Driver 4 Ohm

One of the only 2" x 3" hi-fi drivers on the market, this driver provides the good top-end extension of a 2" speaker, with the added bass of almost double the cone surface area.

Specifications: • Power handling: 15 watts RMS/30 watts max • Impedance: 4 ohms • Frequency range: 150-15,000 Hz • Fs: 150 Hz • SPL: 88 dB 2.83V/1m • Vas: 0.03 cu. ft. • Qts: 0.50 • Xmax: 1 mm • Dimensions: A: 2" x 3-9/16", B: 1-13/16" x 3-3/8", C: 1-5/8".

#264-830 ..... $30.11 LIST Regularly **$23.16** **$19.00** EACH

Tang Band 25-1933S 1" Fabric Dome Shielded Tweeter

Ultra-compact coated soft dome tweeter with ferrofluid-cooling and magnetically shielded neodymium magnet.

$5 OFF!

Specifications: • Power handling: 8 watts RMS/80 watts max • Impedance: 6 ohms • Frequency range: 600-20,000 Hz • Fs: 600 Hz • SPL: 90 dB 1W/1m • Dimensions: A: 2.85", 2.2" across flats, B: 1.85", C: 2.25".

#264-900 ..... $44.34 LIST Regularly **$34.11** **$29.00** EACH

Tang Band W5-876SE 5" Shielded Subwoofer

BUYOUT

- 16 ohm impedance for parallel driver MTM and center channel speakers
- Create a compact, quad-driver array, 4 ohm subwoofer

Specifications: • Power handling: 40 watts RMS/80 watts max • Impedance: 16 ohms • Frequency range: 60-2,000 Hz • Fs: 57 Hz • SPL: 87 dB 1W/1m • Vas: 0.3 cu.ft. • Qts: 0.38 • Xmax: 5 mm • Dimensions: A: 6-1/8", B: 4-7/8", C: 3-3/4".

#299-135 ..... Compare to $30 **$19.00** (1-3)

Planar-like dispersion!

HiWave

HiWave 2" Full-Range Speaker

$6.00 EACH **#299-208**

Compare to $23

Turns virtually anything into a speaker!

HiWave 25 mm SoundPax Exciter

$3.50 EACH **#309-149**

Compare to $15

Great for custom OEM applications!

HiWave 13 mm Exciter 8 Ohms

$1.85 EACH **#299-215**

Compare to $5

Great drivers made to work with each other!

Dayton Audio ND28FB-6 1-1/8" Dome Neodymium Tweeter

- Square frame for reduced center-to-center spacing
- Great top-end air and sparkle
- Self shielding neodymium motor
- Low 1,100 Hz free-air resonance for low crossover points

NEW

Specifications: • Power handling: 30 watts RMS/60 watts max • Impedance: 6 ohms • Frequency range: 2,200-20,000 Hz • Fs: 1,097 Hz • SPL: 88.4 db 1W/1m • Dimensions: A: 2.13", B: 1.72", C: 0.70".

#275-042..... $30.99 LIST **$23.29** (1-9) **$21.59** (10-99) **$20.52** (100-UP)

Dayton Audio DC13OBS-4 5-1/4" Classic Shielded Woofer 4 Ohm

SPECIAL

- Treated paper cone provides smooth response and low energy storage
- Large diameter flat spider and good XMAX for clean bass

Specifications: • Power handling: 30 watts RMS/45 watts max • Impedance: 4 ohms • Frequency range: 45-4,000 Hz • Fs: 49 Hz • SPL: 91.8 dB 2.83V/1m • VAS: 0.50 cu. ft. • QTS: 0.34 • XMAX: 2.5 mm • Dimensions: A: 5-11/16", B: 4-3/4", C: 3-1/8".

#295-302 ..... $25.99 LIST Regularly **$19.87** **$14.87** EACH

Designed for Acoustic Research's Stature Series!

BUYOUT

1" Soft Dome Shielded Tweeter with AR Logo 6 ohm

- Great off-axis response
- 6 ohm impedance
- 91 dB sensitivity

Specifications: • Power handling: 40 watts RMS/80 watts max (with recommended 3,000 Hz @ 12 dB/octave crossover) • VCDIA: 1" • Impedance: 6 ohms • Re: 5.72 ohms • Frequency response: 2,000-20,000 Hz • Fs: 1,472 Hz • SPL: 91 dB 1W/1m • Dimensions: A: 4-1/8", B: 3-1/2, C: 1-3/8".

$16.91 (10-UP)

#279-205 ..... Compare to $49 **$24.00** (1-3) **$18.00** (4-9)

1-1/8" x 1-9/16" Neodymium Micro Speaker

- Perfect size for slim mount TV LCR speakers
- Great for use in line arrays

Specifications: • Power handling: 2 watts RMS/5 watts max • Impedance: 8 ohms • Frequency range: 500-20,000 Hz • Fs: 666 Hz • SPL: 78.2 dB 1W/1m • Dimensions: A: 1-1/8" x 1-9/16", B: 7/8" x 1-5/16", C: 3/8".

#280-002 .....$4.99 LIST **$3.97** (1-9) **$3.29** (10-99) **$2.83** (100-UP)

Don't let the small size fool you!

BUYOUT

Aura Cougar 1" Extended Range Speaker

- NRT radial neodymium motor for extremely low distortion
- Full range, 1" underhung driver with 4.5 mm of XMAX
- Great for modern audio applications

Specifications: • Power handling: 5 watts RMS/20 watts max • Impedance: 8 ohms • Frequency response: 220-20,000 Hz • Fs: 220 Hz • SPL: 78 dB 1W/1m • QTS: 0.7 • XMAX: 4.5 mm • Dimensions: A: 1.54", B: 1.42" rear mount, C: 0.49".

$12.75 (50-UP)

#299-014..... Compare to $18 **$14.90** (1-24) **$14.30** (25-49)

Similar performance and size as the popular NSBs

BUYOUT

3" Paper Cone Full Range Speaker

- Resilient cloth surround
- Decent sensitivity and 150 to 15,000 Hz frequency response
- Great for line arrays, dipole speakers, and satellite speakers

Specifications: • Power handling: 10 watts RMS/20 watts max • Impedance: 8 ohms • Frequency range: 150-15,000 Hz • Fs: 180 Hz • SPL: 85.5 dB 1W/1m • VAS: 0.02 cu. ft. • QTS: 0.99 • XMAX: 1.5 mm • Dimensions: A (truncated frame): 4" x 3-1/2" , B: 3-1/8", C: 1-3/4".

$2.88 (10-UP)

#289-200 ..... Compare to $12 **$4.88** (1-3) **$4.00** (4-9)

5-1/4" Treated Paper Cone Shielded Woofer

- Foam surround with treated paper cone for a warm, natural sound
- Shielded motor protects sensitive electronics
- High QTS allows for open back dipole use

BUYOUT

Specifications: • Power handling: 25 watts RMS/50 watts max • VCDIA: 1" • Impedance: 8 ohms • Frequency response: 100-6,000 Hz • Fs: 92 Hz • SPL: 85 dB 1W/1m • VAS: 0.15 cu. ft. • QTS: 1.10 • XMAX: 1.5 mm • Dimensions: A: 5.75", B: 4.5", C: 2.625".

$4.50 (10-UP)

#299-967 ..... Compare to $16 **$6.00** (1-3) **$5.48** (4-9)

Danish-made using the same technology found in the classic CSX line!

BUYOUT

Peerless 5-1/2" Composite Cone Shielded Woofer

- Sandwiched-cone design for a linear frequency response
- Shielded for use near sensitive electronics
- High-loss rubber surround

Specifications: • Power handling: 50 watts RMS/100 watts max • Impedance: 8 ohms • Frequency response: 48-5,800 Hz • Fs: 48 Hz • SPL: 88 dB 2.83V/1m • Vas: 0.34 cu. ft. • Qts: 0.47 • XMAX: 4 mm • Dimensions: A: 5-3/4", B: 4-3/4", C: 2-7/8".

$19.68 (10-UP)

#299-968 ..... Compare to $50 **$24.67** (1-3) **$22.20** (4-9)

6" Paper Cone Shielded Woofer 5 ohm

- High 89 dB output
- Unique 5 ohm impedance for special applications
- Shielded motor for close placement to sensitive electronics

BUYOUT

Specifications: • Power handling: 50 watts RMS/100 watts max • Impedance: 5 ohms • Frequency response: 90-3,000 Hz • Fs: 83 Hz • SPL: 89 dB 1W/1m • VAS: 0.28 cu. ft. • XMAX: 2 mm • Dimensions: A: 7.375", B: 6.5", C: 2.75".

$5.00 (10-UP)

#299-977 ..... Compare to $12 **$7.00** (1-3) **$6.50** (4-9)

4" Poly Coated Paper Cone Woofer 4 ohm

BUYOUT

- One-piece, poly-coated-paper cone
- Designed for small sealed enclosures
- Shielded design protects sensitive electronics

Specifications: • Power handling: 30 watts RMS/60 watts max • VCDIA: 1" • Impedance: 4 ohms • Frequency response: 70-5,000 Hz • Fs: 64 Hz • SPL: 84 dB 1W/1m • VAS: 0.17 cu. ft. • QTS: 0.61 • XMAX: 2.5 mm • Dimensions: A: 5", B: 4", C: 2.5".

$4.80 (10-UP)

#299-978 ..... Compare to $16 **$6.80** (1-3) **$5.40** (4-9)

RAVE **REVIEWS!** *"Parts Express is by far one of the best companies out there. They do not hesitate to go the extra mile for you."* Denise L, Waterford MI

Huge sale on high-end drivers from HiVi

HiVi RT1C-A Planar Isodynamic Tweeter

SPECIAL

- Kapton film diaphragm for immediate, precise response
- Controlled vertical dispersion minimizes ceiling and floor bounce
- Wide horizontal dispersion

Specifications: • Power handling: 20 watts RMS/30 watts max • Impedance: 5 ohms • Frequency range: 3,000-21,000 Hz • SPL: 93 dB 1W/1m • Dimensions: A: 4-3/4", B: 4-1/4", C: 5/8".

#297-400 ..... $111.99 LIST Regularly $79.85 **$40.00** EACH

★★★★★ *"Amazing tweeter for the price!"* - JmanUSA7

HiVi TN25 1" Fabric Dome Tweeter

SPECIAL

- Inherently shielded neo motor
- Fabric dome for a smooth, natural sound
- Large acoustic chamber reduces Fs for low crossover points

Specifications: • Power handling: 20 watts RMS/40 watts max • Impedance: 5 ohms • Frequency range: 2,500-22,000 Hz • Fs: 1,500 Hz • SPL: 89 dB 1W/1m • Dimensions: A: 2-1/8" x 2-1/8", B: 1-11/16", C: 2-1/2".

#297-408 ..... $30.99 LIST Regularly $18.85 **$13.00** EACH

Great for building slim line arrays!

HiVi BIS 1" Shielded Aluminum Mid/Tweeter

SPECIAL

- Magnesium/aluminum alloy concave cone
- Shielded design allows use in center channel and other nearfield multimedia applications
- Polymer frame and foam surround

Specifications: • Power handling: 1 watt RMS/2 watts max • Impedance: 8 ohms • Frequency range: 1,000-15,000 • Fs: 270 Hz • SPL: 79 dB 2.83V/1m • Vas: 0.001 cu. ft. • Qts: 0.67 • Xmax: 0.95 mm • Dimensions: A: 1-7/16", B: 1-3/8", C: 5/8".

#297-411 ..... $17.99 LIST Regularly $12.90 **$7.90** EACH

HiVi DMN-A Fabric Dome Midrange

SPECIAL

- Compact and lightweight
- Hand treated fabric dome
- 50 mm voice coil with aluminum former
- Shielded neodymium magnet system

Specifications: • Power handling: 60 watts RMS/ 85 watts max • Impedance: 5 ohms • Frequency range: 800-9,000 Hz • Fs: 800 Hz • SPL: 93 dB 2.83V/1m • Dimensions: A: 4-9/16", B: 3-1/2", C: 5".

#297-415 ..... $125.99 LIST Regularly $92.69 **$32.00** EACH

★★★★★ *"Quality for a bargain!"* - Woody - 06873

HiVi M4N 4" Aluminum/Magnesium Midbass

SPECIAL

- Gorgeous magnesium-alloy cone
- Great extension for a small driver
- Similar to the B4N used in the popular Overnight Sensation bookshelf speakers

Specifications: • Power handling: 15 watts RMS/30 watts max • Impedance: 8 ohms • Frequency response: 69-8,000 Hz • Fs: 69 Hz • SPL: 82 dB 2.83V/1m • Vas: 0.16 cu. ft. • Qts: 1.08 • Xmax: 3 mm • Dimensions: A: 4-5/8", B: 3-15/16", C: 2-5/8", Magnet diameter: 2-5/8".

#297-434 ..... $25.99 LIST Regularly $18.46 **$13.46** EACH

Elegant design and 30% off!

HiVi RT1.3 Planar Isodynamic Tweeter

SPECIAL

- Large vibrating surface area delivers great dynamics
- Perfect for high-efficiency 2-way single or multiple woofer designs
- Large number of neodymium magnets provide a uniform driving force

Specifications: • Power handling: 10 watts RMS/20 watts max • Impedance: 6 ohms: • Frequency range: 2,500-40,000 Hz • SPL: 92 dB 2.83V/1m • Dimensions: A: 3-1/2" x 4", B: 2" x 3-1/8", C: 1".

#297-412 ..... $76.99 LIST Regularly $56.23 **$39.00** EACH

Small size, huge performance!

Vifa XT25SC90-04 1" Dual Ring Radiator Tweeter

SPECIAL

- Patented dual ring radiator diaphragm with waveguide center plug
- Neodymium magnet, low distortion motor
- Flat response to 40 kHz

Specifications: • Power handling: 50 watts RMS/100 watts max • Impedance: 4 ohms • Frequency response: 837-40,000 Hz • Fs: 837 Hz • SPL: 91.7 dB 2.83V/1m • Dimensions: A: 2.55", B: 1.85", C: 1".

#264-1014 ..... $32.99 LIST Regularly $24.72 **$19.90** EACH

Vifa BC25SC06-04 1" Textile Dome Tweeter

SPECIAL

- Round polymer faceplate with recessed waveguide loading
- Neodymium magnet for high output and compact size
- Smooth frequency response extends past 20 kHz

Specifications: • Power handling: 50 watts RMS/100 watts max • Impedance: 4 ohms • Frequency response: 1,350-30,000 Hz • Fs: 1,350 Hz • SPL: 96 dB 2.83V/1m • Dimensions: A: 2.75", B: 1.70", C: 1.25".

#264-1028 ..... $22.99 LIST Regularly $15.90 **$9.90** EACH

Save up to $20 off these high-end midwoofers from Aurum Cantus!

Aurum Cantus Midwoofers

SPECIAL

AURUM CANTUS

- Non-woven carbon fiber/Kevlar composite cones
- Large 2" diameter copper-clad aluminum flat wire voice coils maximize dynamic range
- Powerful magnet structures feature distortion-canceling fixtures
- Long-throw designs with good Xmax for strong bass
- Vented pole pieces reduce power compression

AC120/5OCK 5"

Specifications: • Power handling: 150 watts RMS/225 watts max • Impedance: 8 ohms • Frequency range: 43-7,000 Hz • Fs: 43 Hz • SPL: 90 dB 1W/1m • Vas: 0.42 cu. ft. • Qts: 0.18 • Xmax: 6 mm • Dimensions: A: 5-15/16", B: 4-15/16", C: 3-1/4".

#296-440 ..... $126.99 LIST Regularly $94.44 **$74.98** EACH

AC130/5OCK 5-1/4"

Specifications: • Power handling: 150 watts RMS/225 watts max • Impedance: 8 ohms • Frequency range: 37-4,500 Hz • Fs: 37 Hz • SPL: 89 dB 1W/1m • Vas: 0.78 cu. ft. • Qts: 0.21 • Xmax: 6 mm • Dimensions: A: 6-3/8", B: 5", C: 3-1/4".

#296-442 ..... $129.99 LIST Regularly $98.67 **$78.67** EACH

DO IT D·I·Y Yourself

Double Trouble

Matt Phillips is back to show us what a pair of Dayton Audio Ultimax 10" subwoofers can do in the right hands. The Double Troubles are an experiment in excess, and proof that there's never too much of a good thing!

1 Design Goals

These new subwoofers would have to outperform every other one I have owned prior to today, which includes anything from a wide variety of car subs years ago, to my present TC Sounds Epic 8" ported subwoofers. I wanted to stick with a sealed design this time in order to improve the music playback capabilities of my system, as well. I also intended to make the strongest and heaviest enclosures I could, so I would not compromise anything or have regrets later.

back view



2 Driver Selection

If you have followed any of my other projects, then you know I like to get a lot from a little. So, when Dayton Audio brought in the new Ultimax subwoofers, they piqued my interest immediately. I modeled a few different designs and decided the 10" would be perfect (of course) –after all, I would be using two of them. The Ultimax subwoofers are incredibly overbuilt, have the stiffest cone assemblies I've ever encountered, possess very low-distortion motor structures, and their high-roll surrounds will make most other subwoofers in this class run home to their mommies.



3 Enclosure Design

I like the look of my cabinets to be deep and narrow if possible, so I came up with exterior dimensions that complemented the proper internal volume. I knew I was going to use overkill bracing and I also wanted to have a sand-filled cavity to help balance out the overall weight of the enclosure. Because of this, my exterior dimensions ended up being 12-1/2" W x 17-1/2" H x 19" D, with a total internal volume of 1.043 cubic feet after driver and bracing displacement. This provided a slightly low Qtc of 0.632. The amount of bracing I used may not be necessary for most people, but I knew that I wouldn't be happy without it. These drivers will still perform admirably when used with a 1.0 cubic foot Dayton Audio enclosure.

FREE SHIPPING EVERY DAY
*See page 2 for details

4 Enclosure Assembly

These were built using 3/4" MDF that was glued, clamped, and brad nailed together. I incorporated excessive bracing, a double thick (1-1/2") baffle, and about 25 lbs. of sand in a rear chamber in the enclosure. I cannot say whether the sand damped the enclosure, although the extra mass does help keep it solidly on the floor during heavy bass passages. The subwoofer driver's weight means a fairly front-heavy cabinet. They were covered in red oak paper-backed veneer, which was applied with contact cement and stained with two coats of American Chestnut Minwax Polyshades stain.

5 Amplification/EQ

I did not use a traditional plate amplifier for these subwoofers. Instead, I employed a Behringer EP4000 pro audio amplifier that provides approximately 950 watts to each subwoofer driver at 4 ohms. Yes, this is more than enough, but I like to have the headroom available. I also added a Behringer FBQ1000 Feedback Destroyer to operate as a subwoofer equalizer. This has fully adjustable parametric filters down to 20 Hz, which makes it ideal for a subwoofer application. Once I got the EQ dialed in to my listening position, the room response was flat to about 18 Hz.

6 Conclusion

Even before the addition of the FBQ1000, these subwoofers were a pretty large improvement compared to the old ones while playing music. They didn't reach quite as low as the old subs during movies, but I expected this. Adding the EQ changed everything. I bumped up the crossover point from 40 Hz to 100 Hz, adjusted the response until it was flat, and continued to tweak from there. Now these things will shake the couch and not even break a sweat. On top of that, they are the best sounding subs I've had for music playback, as well. I am very impressed with the Dayton Audio Ultimax subwoofers for music and home theater applications alike, and would not hesitate to recommend them to anyone looking for the ultimate subwoofer.





Parts List

#295-510

#248-748

#248-6678

Part #	Description	Qty
295-510	Dayton Audio UM10-22 10" Ultimax DVC Subwoofer	2
248-748	Behringer EP4000 Europower Power Amplifier	1
248-6678	Behringer FBQ1000 Feedback Destroyer / Parametric EQ	1

About the Designer: Matt Phillips

Matt Phillips has been an audio enthusiast for many years. His fascination with cutting-edge products and concepts has been strong ever since the beginning of his speaker building hobby. Building on experience gained from working at Parts Express, he continues to explore new concepts and applications. Matt's other interests include woodworking, toying with RC cars, drumming for his local church's praise band, and going to the shooting range.

DISCLAIMER – Parts Express posts the "Project Showcase" as a community service. Projects displayed have not been tested or evaluated by our staff. We make no warranties whatsoever in regard to the projects' fitness for a particular purpose. Claims of performance or fitness are those of the contributor and not of Parts Express. Project reproduction for commercial resale may be a violation of United States patent or trademark laws.

Copyright 2013 Parts Express

See more projects online at **parts-express.com/project-gallery**

Build your own subwoofer from scratch in under an hour and finish it your way!

Knock-Down MDF Subwoofer Enclosures

- High quality, precision CNC-cut subwoofer cabinets
- Optimally designed for Dayton Audio Reference Series HO, Ultimax, and DVC subwoofers
- 3/4" material with double thick front baffle and driver-specific recess
- Unique cross bracing for maximum rigidity

NEW

#300-7079

#300-7079

#300-7076

Part #	Designed for Dayton Audio subwoofer	Cabinet Volume	List Price	Price Each
300-7075	8" RSS210HO-4	0.75 ft.³	$99.99	**$71.67**
300-7076	10" RSS265HO-4	1.0 ft.³	129.99	**95.00**
300-7077	12" RSS315HO-4	1.5 ft.³	129.99	**95.00**
300-7078	15" RSS390HO-4	3.0 ft.³	169.99	**125.00**
300-7079	18" RSS460HO-4	4.0 ft.³	199.99	**150.00**
300-7080	10" UM10-22	1.25 ft.³	99.99	**81.67**
300-7081	12" UM12-22	2.0 ft.³	149.99	**108.33**
300-7082	15" UM15-22	3.0 ft.³	169.99	**125.00**
300-7083	15" DVC310-88	3.0 ft.³	169.99	**125.00**

Save 50% off the knock-down cabinet when you buy it with the subwoofer.

NEW

Subwoofer and Cabinet Packages

Powered by: DAYTON AUDIO

#300-7093

#300-7097

#300-7098

Part #	Includes	List Price	Package Price
300-7090	RSS210HO-4 8" subwoofer and enclosure	$179.99	**$149.86**
300-7091	RSS265HO-4 10" subwoofer and enclosure	229.99	**183.78**
300-7092	RSS315HO-4 12" subwoofer and enclosure	249.99	**196.67**
300-7093	RSS390HO-4 15" subwoofer and enclosure	299.99	**234.87**
300-7094	RSS460HO-4 18" subwoofer and enclosure	499.99	**324.46**
300-7095	UM10-22 10" subwoofer and enclosure	249.99	**199.68**
300-7096	UM12-22 12" subwoofer and enclosure	279.99	**233.88**
300-7097	UM15-22 15" subwoofer and enclosure	299.99	**262.00**
300-7098	DVC310-88 15" subwoofer and enclosure	259.99	**200.00**

Peerless 10" XLS Shallow Subwoofer

SPECIAL

- Superbly engineered for in-wall applications
- Heavy duty cast aluminum basket
- Unique reverse-mounted neodymium motor reduces depth
- Generous heatsinking and "open-air" voice coil promote cooling
- Carefully damped paper cone, rubber surround, flat spider

Peerless

Specifications: • Power handling: 160 watts RMS/320 watts max • VCDIA: 2" • Le: 0.91 mH • Impedance: 4 ohms • Re: 3.16 ohms • Frequency response: 20-500 Hz • Fs: 34 Hz • SPL: 81.3 dB 1W/1m • VAS: 1.12 cu. ft. • QMS: 6.8 • QES: 0.55 • QTS: 0.51 • XMAX: 9.25 mm • Dimensions: A: 10-7/16", B: 9", C: 2-3/4" from back of mounting flange; 1" additional frontal clearance required for motor assembly.

#264-1105..... $230.99LIST Regularly **$173.26** **$100.00** EACH

Over $40 off on this critically acclaimed sub!

Peerless 10" XLS Subwoofer

Peerless

SPECIAL

- 12.5 mm of linear excursion
- Thick Nomex cone
- Cast aluminum frame
- Flat spider and HD rubber half roll surround
- Massive stacked magnet

Specifications: • Power handling: 150 watts RMS/300 watts max • VCDIA: 2" • Le: 4.3 mH • Impedance: 8 ohms • Re: 4.9 ohms • Frequency response: 19-700 Hz • Fs: 22 Hz • SPL: 86.6 dB 2.83V/1m • VAS: 2.36 cu. ft. • QMS: 3.86 • QES: 0.24 • QTS: 0.23 • XMAX: 12.5 mm • Dimensions: A: 10.59", B: 9.40", C: 4.88".

#264-1108..... $258.99LIST Regularly **$194.67** **$150.00** EACH

Vifa NE315W-08 12" Subwoofer

SPECIAL

- Cast aluminum frame promotes motor cooling
- Sculpted design improves airflow and reduces reflections
- High-strength compact neodymium magnet system
- Proprietary coated natural wood fiber cone with half-roll rubber surround
- Long-throw 2" voice coil on strong, heat resistant titanium former
- Copper pole piece cap for reduced inductance
- 8 ohm nominal impedance

vifa

Specifications: • Power handling: 190 watts RMS/380 watts max • VCDIA: 2" • Le: 0.54 mH • Impedance: 8 ohms • Re: 6.3 ohms • Frequency range: 20-1,000 Hz • Fs: 20 Hz • SPL: 86.5 2.83V/1m • VAS: 5.70 cu. ft. • QMS: 11.72 • QES: 0.36 • QTS: 0.35 • XMAX: 9.35 mm • Dimensions: A: 12.40", B: 11.33", C: 6.19".

#264-1142..... $349.99LIST Regularly **$262.63** **$199.00** EACH

HiVi F10 10" Woofer

The design of the F10 has been optimized for dynamic low bass performance in a compact or medium size vented enclosure. The long-throw design provides clean and articulate bass performance at high volumes. Great for three-way systems and subwoofer use.

SPECIAL

HiVi

Specifications: • Power handling: 120 watts RMS/170 watts max • VCDIA: 2" • Le: 1.98 mH • Znom: 8 ohms • Re: 6.5 ohms • Frequency range: 28-800Hz • Fs: 28 Hz • SPL: 90 dB 1W/1m • VAS: 3.02 cu. ft. • QMS: 2.00 • QES: 0.36 • QTS: 0.31 • XMAX: 6.5 mm • Dimensions: A: 11-5/16", B: 9-1/8", C: 5".

#297-450..... $201.99LIST Regularly **$143.91** **$99.98** EACH

We've bashed the price of BASH amplifiers!

SPECIAL Up to $50 Off!

BASH Subwoofer Amplifiers

BASH®

- High power output in a compact, lightweight design
- Speaker and line level inputs for connection to any stereo
- Limiting circuit prevents audible clipping and protects woofers

Common features: • 50 to 150 Hz low-pass crossover • 0° or 180° phase • Line level inputs • Speaker level inputs • Master on/off switch • Auto on.

300S specifications: • 300 watts RMS @ 0.5% THD into 4 ohm load • Dimensions: 11" W x 7" H x 3-1/2" D.

500S specifications: • 500 watts RMS @ 0.5% THD into 4 ohm load • Dimensions: 12" W x 8" H x 3-1/2" D.

#300-750 (300 watt) ..... $299.99 LIST Regularly $168.70 **$119.00** EACH

#300-752 (500 watt) ..... $399.99 LIST Regularly $249.88 **$199.00** EACH

Dayton Audio 70 Watt Subwoofer Amplifier

DAYTON AUDIO SPECIAL

- Line-level and speaker-level inputs for connection to any system
- Auto-on circuit comes on the instant the amp is needed
- Variable 2nd order low-pass crossover from 60 Hz to 200 Hz

Specifications: • Measured power output: 45 watts RMS into 8 ohms @ 0.1% THD, 70 watts RMS into 4 ohms @ 0.2% THD • Signal to noise ratio: 90 dB (A-weighted) • Dimensions: 7-1/2" W x 8-11/16" H x 3-1/2" D • Enclosure cutout: 6-1/2" W x 7-3/4" H.

#300-784 ..... $99.99 LIST Regularly $59.60 **$49.00** EACH

Switchable 6 dB @ 35 Hz bass boost!

Dayton Audio SPA250 Subwoofer Amplifier

- Line-level and speaker-level inputs for connection to any system
- Variable frequency 4th order low-pass crossover for a clean transition to main speakers

SPECIAL

PRODUCT VIDEO

DAYTON AUDIO

Specifications: • Measured power output: 156 watts RMS into 8 ohms @ 0.1% THD, 252 watts RMS into 4 ohms @ 0.2% THD • Dimensions: 9-13/16" W x 9-13/16" H x 5" D • Enclosure cutout: 8-1/2" x 8-1/2".

#300-803 ..... $199.99 LIST Regularly $124.80 **$119.00** EACH

Acousta Stuf™

Acousta Stuf™ is a sound absorbing damping fiber that will deepen bass, provide cleaner midrange, and improve the dynamic extension of any speaker system. Most sealed enclosures require 1/2 lb. of damping material per cubic foot of enclosure.

#260-317 (1 lb. bag) **$10.80** (1-3) **$9.35** (4-UP)

#260-330 (5 lb. bag) **$44.89** (1-9) **$39.38** (10-UP)

12" Speaker Sealing Caulk Box of 72 pcs.

- Enough to seal 16 18" speakers
- Eliminates air leaks and vibration between cabinets and speakers, ports, and terminals
- Water-resistant
- Self-adhering compound

#260-400 ..... $14.99 LIST **$9.50** (1-3) **$8.82** (4-UP)

200 Piece Speaker Crimp Connector Kit

BUYOUT

- Four popular speaker connectors in one low-price kit
- Repair speaker connections quickly
- Perfect alternative to soldering wire on terminals



$9.98 EACH #099-006

Compare to $30

Tapered set-screw for maximum wire compression

BUYOUT

Dual Banana Plug

- Accepts up to 12 AWG speaker wire
- Standard 3/4" center-to-center plug spacing
- Create your own custom length speaker cables
- Durable and stackable high-impact plastic body

98¢ (25-UP)

#099-120 ..... *Compare to $3* **$1.25** (1-24)

Round 4-1/2" Speaker Terminal with Binding Posts

BUYOUT

- Accepts banana plugs or direct-connected wire up to 6 AWG
- 3/8" hole with rubber plug for an optional jack, switch, or level control

$2.50 EACH #269-103

Compare to $8

High-power mono subwoofer amplifier

SPECIAL BEST SELLER

Dayton Audio SA1000 Subwoofer Amplifier

PRODUCT VIDEO

- Low frequency parametric EQ allows boosting or cutting to custom-tailor response
- Switchable subsonic and bass boost filters
- Adjustable phase, gain, and crossover

DAYTON AUDIO

Specifications: • Rated power output: (0.92% THD) 497 watts into 8 ohms, 950 watts into 4 ohms • Signal to noise ratio: 98 dB A-weighted • Dimensions: 17-1/2" W x 4" H x 13" D (rack ears uninstalled) • Power requirements: 120/230 VAC (switchable), 50/60 Hz • Power output rating based on one-third power duty cycle.

#300-811 ..... $549.99 LIST Regularly $398.60 **$359.00** EACH

speakON® Speaker and Amplifier Connectors

#092-052 #092-053 #092-054 #092-059 #092-067

NEUTRIK

This series of professional speaker and amplifier connectors is recognized as the industry standard. The speakON product line comes in 2, 4 and 8 contact versions. No special tools are required, making these connectors 100% field repairable. speakON panel receptacles with solderless terminations also allow you to use quick disconnect type terminals (0.187" x 0.020", 0.250" for #092-067) for ease and reliability of assembly. The contacts in this series are touch proof and designed to prevent damage from arcing if disconnected under load, ensuring fail-safe conditions for both the equipment and the operator. speakON meets the prevailing safety standards of IEC65, IEC348, CE, CSA and are UL rated (file #E135070).

Part #	Mfg. #	Description	# Poles	Price (1-24)	Price (25-99)	Price (100-UP)
092-052	NL4MP	Chassis connector, air tight, "D" Series style	4-pole	$2.19	$2.09	$1.98
092-053	NL4MP-ST	Chassis connector, "D" Series, w/screw terminals	4-pole	3.15	3.09	2.78
092-054	NL4MPR	Chassis connector, air tight, round flange	4-pole	2.59	2.48	2.38
092-059	NL2MP	Chassis connector, air tight, "D" Series style	2-pole	1.96	1.88	1.69
092-067	NL4MP-UC	Chassis connector, "D" Series, 40A, 1/4" tabs	4-pole	3.15	3.00	2.92

Heavy-Duty Speaker Grills

- The ultimate protection for speakers
- Powder coated 1.2 mm steel—nearly twice the thickness of similar grills
- Thick vinyl trim dampens vibration

These heavy-duty grills are the ultimate defense against feet, mic stands, and flying bottles. Easily attaches with accessory clamp kit, sold separately.



RAVE **REVIEWS!**

"Absolute great product and value."

Randy, Lebanon TN

★★★★★

Part #	Mfg. #	Size	List Price	Price (1-3)	Price (4-UP)
262-860	HDSG-8	8"	$8.99	$6.71	$6.10
262-862	HDSG-10	10"	10.99	7.98	7.25
262-864	HDSG-12	12"	12.99	9.90	8.98
262-866	HDSG-15	15"	19.99	14.89	14.25
262-868	HDSG-18	18"	22.99	16.90	15.88
262-869	GCK-K	Grill Clamp Kit	3.99	2.95	2.49

Cabinet Carpet

This high quality carpet conforms easily to sharp corners because it has no stiff backing. The covering of choice for car, stage, and amplifier cabinets. Adhere with spray adhesive or latex contact cements. 54" wide and sold by the linear yard. Made in the USA.

MADE IN U.S.A.

Part #	Color	Price (1-9)	Price (10-49)	Price (50-UP)
260-765	Dark Charcoal	$6.25	$5.67	$5.18
260-767	Medium Gray	6.25	5.67	5.18
260-768	Jet Black	6.25	5.67	5.18

Guaranteed to be the blackest shade of black!

Mellotone Premium Black Grill Cloth

MELLOTONE®

MADE IN U.S.A.

- Approximately twice the thickness of our standard grill cloth
- Acoustically transparent
- Will pass the ASTM E-84 flame test with a Class A rating
- 64" wide and sold by the linear yard
- Made in USA

PRODUCT VIDEO parts-express.com

#260-332 ..... $34.99 LIST **$24.50** (1-5) **$22.80** (6-11) **$19.75** (12-UP)

Trav1 gave the 4 ohm driver five stars as "Great replacements"!

★★★★★

CELESTION

BUYOUT

Celestion Neodymium 5" Full Range Woofers

- Originally designed for high-end acoustic guitar amplifiers
- Ultra-linear frequency response
- Neodymium magnet with bumped back plate motor
- Great hi-fi home audio, car audio, and line array speakers

Specifications (4 ohm/8 ohm): • Power handling: 25 watts RMS/50 watts max • Frequency range: 104-9,000 Hz • Fs: 95/104 Hz • Sensitivity: 89.6/89.2 dB 1W/1m • Vas: 0.13/0.15 cu. ft. • Qts: 0.46 • Xmax: 1.13 mm • Dimensions: A: 5-3/8" across the flats, 5-15/16" outside edge-to-edge, B: 4-5/8", C: 2-3/16".

#299-414 (4 ohm version)
#299-416 (8 ohm version) ..... *Compare to $40*

$12.90 EACH

Killer prices on these excellent British-designed woofers!

BUYOUT

Celestion 15" Professional Woofer

- Vented motor with bumped back plate
- Kevlar-loaded paper cone for durability
- Perfect for high output home audio and pro audio speakers

Specifications: • Power handling: 300 watts RMS/450 watts max • Impedance: 8 ohms • Frequency range: 46-4,000 Hz • Fs: 46.9 Hz • Sensitivity: 98 dB 1W/1m • Vas: 6.18 cu. ft. • Qts: 0.50 • Xmax: 3.5 mm • Dimensions: A: 15.16", B: 13.86", C: 6.38".

$49.90 EACH
#299-418
Compare to $95

Celestion 18" Cast Frame Professional Woofer

- 97 dB sensitivity, great for high output 3-way speakers
- 5.5 mm of Xmax for subwoofer duty
- Cast aluminum frame for robust durability

Specifications: • Power handling: 500 watts RMS/750 watts max • Impedance: 8 ohms • Frequency range: 35-3,500 Hz • Fs: 36.4 Hz • Vas: 6.18 cu. ft. • Qts: 0.50 • Dimensions: A: 17.83", B: 16.38", C: 7.76".

$99.90 EACH
#299-420
Compare to $200

Built in Italy by Eighteen Sound!

BUYOUT

EAW DN10/1752-8 1" Neodymium Titanium Horn Driver 2/3-Bolt

MADE IN ITALY

- Titanium diaphragm offers excellent accuracy and durability
- Uniquely engineered phase plug optimizes frequency response and reduces distortion
- Unusually low crossover limit facilitates a wide range of design options

Specifications: • Power handling: 50 watts RMS/100 watts program above recommended crossover of 1.6 kHz/12 dB slope • Impedance: 8 ohms • Frequency response: 1,600-20,000 Hz • SPL: 109 dB 1W/1m • Net weight: 2.4 lbs.

$90.00 EACH
#299-190
Compare to $170

RAVE **REVIEWS!** *"World's greatest online interface and people behind it."*

Frank T, Alexander IA

Great for classrooms or conference rooms

Dayton Audio DA30 2 x 15W Class D Mini Amplifier

- Class D topology combines efficiency with accuracy
- Bridgeable output
- Includes mounting hardware
- Perfect mini commercial amplifier

The Dayton Audio DA30 is the ideal amp for commercial installations like classrooms, where a small, low wattage amplifier is required. This amp can sit on a desktop, or can be mounted on a wall or under cabinets using the included mounting brackets.

Two stereo audio inputs increase versatility; 2 RCA or a single 3.5 mm jack. Separate treble and bass controls allow the sound to be tailored to the room. The DA30's Auto-On feature means the unit will not sit idle wasting power when not in use.

PRODUCT VIDEO parts-express.com

SPECIAL

Specifications: • Power output: 2 x 15 watts into 4 ohms, 1 x 30 watts into 8 ohms (bridge mode) • Efficiency: 92% • Total harmonic distortion: 0.015% • Auto-on sensitivity: <0.8V • Dimensions (HxWxD): 1-5/8" x 4-7/16" x 5-1/2".

#300-330 ..... $119.99 LIST Regularly $78.00 **$58.00** EACH

Build your own PA and save BIG!

Dayton Audio H812 1" High Frequency Horn

- Exponential flare for improved throw and better on-axis HF response
- Glass-reinforced polycarbonate construction
- Mounting flange for 2-bolt 1" drivers
- 100° H x 60° V coverage

Dayton Audio's H812 horn employs a traditional exponential flare that provides improved throw and better HF response, but with narrowing dispersion at the highest frequencies.

Specifications: • Nominal coverage: 100° H x 60° V • Cutoff frequency: 700 Hz • Dimensions: 7-7/8" H x 12-1/2" W x 8-1/8" D.

RAVE **REVIEWS!**
"Feels solid, looks cool, sounds good."
sanjen from Michigan

SPECIAL

#270-304 ..... Regularly $19.95 **$9.98** EACH

Behringer Europower EP Series Amplifiers

- 2 x 750 watts into 4 ohms/2,000 watts into 4 ohms bridge mode (EP2000)
- 2 x 1,400 watts into 4 ohms/4,000 watts into 4 ohms bridge mode (EP4000)
- 2-channel, parallel, or bridged mono operating modes for flexible application
- Neutrik® speakON®-compatible and touch-proof binding post output connectors
- Balanced XLR and 1/4" TRS inputs

The EP2000 and EP4000 represent everything musicians love about Behringer's popular EP1500/EP2500—excellent sound quality, road-worthy toughness and reliability, low-noise operation, and incredible power. The new EP2000 and EP4000 are perfect for medium-sized club gigs, mobile PA systems, church services, or public spaces.

Part #	Description	List Price	Price Each
248-746	Europower EP2000 Power Amp	$599.99	**$299.99**
248-748	Europower EP4000 Power Amp	759.99	**379.99**

Amplifiers with XLR, 1/4", and RCA inputs for live sound, DJ, or home use!

QSC GX Series Power Amplifiers

- Optimized for maximum real-world headroom into 4 ohm and 8 ohm speaker systems
- Inputs: XLR, 1/4" TRS, and phono input connectors for compatibility with any source
- Outputs: speakON® combo accepts 1/4" (TS) plugs or speakON® 2-pole and 4-pole plugs (connects 2 poles only); binding posts support all other speaker wiring systems

Part #	Model	Watts x 2 @ 8 / 4 ohms	Weight (lbs.)	List Price	Price Each
245-650	GX3	300 / 425	25	$399.00	**$299.99**
245-652	GX5	500 / 700	26	499.00	**399.99**
245-654	GX7	725 / 1,000	15.5	699.00	**599.00**

GRS REPLACEMENT SPEAKERS

When it comes to ceramic piezo elements, size matters

GRS element Leading competitor's element

NEW

GRS Piezo Tweeters and Horn Drivers

2" x 5" Piezo Horn Tweeter Similar to KSN1016A

- Power handling: 50 watts RMS/75 watts max
- Frequency response: 3,000-40,000 Hz
- SPL: 92 dB 1W/1m • Dimensions: 5-3/4" W x 2-3/4" H x 2" D.

#292-440 ..... $4.99 LIST **$1.97** (1-23) **$1.47** (24-99) **$1.25** (100-UP)

3-1/4" Piezo Horn Tweeter Similar to KSN1005A

- Power handling: 50 watts RMS/75 watts max
- Frequency response: 4,000-27,000 Hz • SPL: 94 dB 1W/1m • Dimensions: 3-1/4" W x 3-1/4" H x 2-1/2" D.

#292-442 ..... $4.99 LIST **$1.97** (1-23) **$1.47** (24-99) **$1.25** (100-UP)

2" x 6" Piezo Horn Mid/Tweeter Similar to KSN1025A

- Power handling: 50 watts RMS/75 watts max
- Frequency response: 1,800-30,000 Hz • SPL: 90 dB 1W/1m • Dimensions: 7-1/4" W x 3-1/10" H x 4" D.

#292-444 ..... $6.99 LIST **$2.47** (1-23) **$1.97** (24-99) **$1.75** (100-UP)

4-3/8" Piezo Horn Tweeter Similar to KSN1165A

- Power handling: 200 watts RMS/400 watts max
- Frequency response: 1,800-30,000 Hz • SPL: 92 dB 1W/1m • Dimensions: 4-1/4" W x 4-1/4" H x 3" D.

#292-446 ..... $6.99 LIST **$2.47** (1-23) **$1.97** (24-99) **$1.68** (100-UP)

Piezo Bullet Horn Driver Similar to KSN1142A

Standard 1-3/8"-18 TPI throat for a variety of horn designs. Excellent power handling capability.

- Power handling: 400 watts max • Frequency response: 1,800-30,000 Hz • SPL: 92 dB 1W/1m • Dimensions: Diameter: 2-7/16", Depth: 1-1/2".

#292-448 ..... $6.99 LIST **$2.47** (1-23) **$1.97** (24-99) **$1.68** (100-UP)

Piezo Horn Driver Similar to KSN1188A

Popular midrange/tweeter horn driver. Standard 1-3/8"-18 TPI throat for a variety of horn designs.

- Power handling: 400 watts max • Frequency response: 800-20,000 Hz • SPL: 93 dB 1W/1m
- Dimensions: Diameter: 3-7/8", Depth: 3".

#292-450 ..... $8.99 LIST **$4.88** (1-23) **$3.93** (24-99) **$3.25** (100-UP)

Behringer EUROCOM Installed Sound Solutions

The new EUROCOM line from Behringer is an extremely powerful and versatile set of sound reinforcement solutions designed for professional fixed installations. Every aspect of the EUROCOM products has been thought through to maximize value and convenience for both the installer and the end user. The result is an attractive, durable, and easy to use system that will deliver top-notch sound day-after-day for years to come.

NEW

behringer

CL Series Loudspeakers

Featuring clean lines and a unique fabric-finished wrap-around grille, the CL Series is at home in even the most elegant settings.

- Rotatable waveguides with 90° x 70° or 60° x 40° options
- Low impedance or 70/100V models
- Professional twist-lock and terminal strip connections
- Black or white finish

Part #	Model	Color	Application	List Price	Price Each
247-080	CL-106T	Black	70/100V	$461.00	**$323.00**
247-082	CL-106T-WH	White	70/100V	461.00	**323.00**
247-084	CL-106	Black	8 ohm	418.00	**293.00**
247-086	CL-106-WH	White	8 ohm	418.00	**293.00**

SN Series Mixer-Amplifiers

Combining superior performance and ease-of-use with unprecedented value, the SN Series is ideal for retail, hospitality, office, medical, and educational applications.

- 80 watts of clean power
- Quick & easy to set up and use
- Ample input/output options
- Clean, simple, elegant appearance

Part #	Model	Application	List Price	Price Each
247-012	SN2408	70/100V/4 ohm (dual channel)	$576.00	**$403.00**
247-014	SN2108	70V (single channel)	341.00	**239.00**

Need more info?
Visit parts-express.com

EUROCOM Search

Dayton Audio D1075T 70V Horn Driver

DAYTON AUDIO

This workhorse driver provides efficient, articulate sound and is designed to survive the elements. The cast faceplate, gasketed rear cover, and stainless steel hardware ensure reliability. A phenolic-impregnated cloth diaphragm will last for years, and the rotary tap selector permits quick & easy level adjustment.

OVER 20% OFF

Specifications: • Nominal input: 70.7 volts • Power handling: 75 watts RMS (above 300 Hz) • Frequency response: 180-6,000 Hz • SPL: 110 dB 1W/1m • Transformer taps: 25, 30, 50, and 75 watts, plus 16 ohm bypass • Standard 1-3/8"-18 threaded mounting • D1075RD replacement diaphragm #300-192 • Dimensions: 5.5" dia. x 6" D.

SPECIAL

#300-190 ..... $61.99 LIST Regularly **$46.97** **$37.00** EACH

Quam SYSTEM 12 24" x 24" Lay-In Ceiling Tile Speakers



The SYSTEM 12 by Quam is a complete loudspeaker assembly with an 8" full range speaker, perforated steel baffle, and integral molded fiber enclosure. Finish is a white baked epoxy hybrid. No more hassle with cutting holes in tiles! Available in various configurations, and now available with the sleek MicroPerf baffle. Made in Chicago, USA.

MADE IN USA

Part #	Application	Baffle	Volume Control	List Price	Price (1-7)	Price (8-UP)
244-3136	5W-25/70V	Standard	No	$79.90	**$63.91**	**$59.92**
244-3368	5W-25/70V	MicroPerf	No	109.90	**87.02**	**81.63**
244-3370	8 ohm	MicroPerf	No	107.90	**85.43**	**80.14**
244-3372	5W-25/70V	MicroPerf	Yes	125.90	**99.68**	**93.51**
244-3374	4W-25V	MicroPerf	Rotary tap select	119.90	**94.93**	**89.05**
244-3376	4W-70V	MicroPerf	Rotary tap select	119.90	**94.93**	**89.05**

Quam SOLUTION 3 Complete 8" Ceiling Speaker Pair Package

NEW

Quam's SOLUTION 3 ceiling speaker package consists of two complete loudspeaker assemblies with a premium quality 8" speaker, 5 watt-25/70V transformer, back box, tile bridge, mounting brackets for hard ceilings, and the new designer MicroPerf baffle. Made in Chicago, USA.

#244-3442 ..... $131.90 LIST **$104.43** (1-7) **$97.96** (8-UP)

Quam 45 Ohm Weather Resistant Speakers

NEW

MADE IN CHICAGO

#244-3438

#244-3440

These handy replacement speakers from Quam are designed for intercom systems and similar high impedance applications. Both feature a weather resistant treated paper cone, 4W nominal power handling, and a 2.35 ounce ceramic magnet. Made in Chicago, USA.

Part #	Mfg. #	Dimensions	List Price	Price (1-7)	Price (8-UP)
244-3438	25C25Z45OT	2.56" H x 2.56" W x 1.09" D	$11.00	**$8.71**	**$8.17**
244-3440	30C25Z45OT	3" H x 3" W x 1.19" D	11.50	**9.11**	**8.54**

Accusonic AS-20 PA Amplifier 20W 12VDC/AC

Perfect for use in meeting halls, small auditoriums, schools, and offices. This PA amplifier operates on standard 120 VAC or with 12 VDC (via supplied DC power cord with cigarette lighter adapter) for mobile use. Inputs include two 1/4" microphone jacks with individual level controls, and one pair of RCA jacks for phono or AUX/CD with level control. Spring loaded speaker terminals are provided for 4, 8, and 16 ohm loads, plus a 70V output line. Includes master volume, tone control, and spring loaded speaker terminals. Frequency response: 150-20,000 Hz. Dimensions: 3" H x 11-1/2" W x 7-3/4" D.

accusonic®

New Low Price!

#300-202 ..... **$79.00** EACH

ROLLS

These USA-made Rolls problem solvers help maximize system performance!

MADE IN USA

Rolls MB15b ProMatch Balanced/Unbalanced Converter

NEW

- Stereo RCA to stereo XLR
- Stereo level control for each channel
- Works as stereo balanced line level control
- 1/8" (3.5 mm) headphone level to line level adapter

The MB15b ProMatch is a veritable Swiss Army knife for the audio pro or enthusiast. It converts consumer level stereo RCA signals to balanced XLR professional line level, and back. One side of the unit has two XLR inputs and stereo RCA outputs, the other side has stereo RCA inputs and two XLR outputs. Each side has stereo level controls, and the MB15b can act as a balanced XLR line level control. By adding a stereo pair jumper between the four RCA jacks, the two level controls may be inserted into any balanced XLR line. Dimensions: 4.15" x 2.46" x 1.55".

#245-1062 ..... $90.00 LIST **$54.73** EACH

Rolls PM351 3-Channel Personal Monitor Station Headphone Mixer

NEW



The PM351 is a personal monitoring mixer with a 1/4" TRS stereo/mono line input, a single XLR microphone input and hard-wired XLR pass-through, and a 1/4" stereo/mono instrument input with two transformer-balanced and isolated XLR outputs. All three of these inputs are routed via individual level controls, to a 1/4" and an 1/8" (3.5 mm) headphone output. The mic through and instrument outputs have ground lifts for easy elimination of ground hum. Having the ability to personally tailor a main mix along with the musician's voice and their instrument makes the PM351 an effective and versatile tool. Dimensions: 4.5" x 3.3" x 1.5".

#245-1114 ..... $120.00 LIST **$72.00** EACH

Designed for the modern musician

Talent iClaw Mic Stand Clip for Apple iPad

talent
pro audio cables & stands

- Attaches an iPad to a microphone stand or desk (up to 1" thick)
- Includes snap-in claws for all iPads
- Unlimited adjustability
- Clamp-on assembly is removable for direct stand attachment
- Now fits all iPads including mini

PRODUCT VIDEO

iPad not included

RAVE **REVIEWS!**

"1000 and 1 uses... Loved it and bought more"
sixsaturdayandasunday from Wyoming

#233-048..... $49.99 LIST **$19.98** (1-3) **$18.85** (4-23) **$17.72** (24-UP)

Rolls SX45 Stereo Two-Way Mini Crossover with Sub Output

NEW

- 12 dB/octave rolloff
- Stereo RCA input and output
- Adjustable 50 Hz to 2.5 kHz crossover frequency
- Mono subwoofer output

The SX45 by Rolls is a unique frequency dividing device for small sound reinforcement applications. The unit features an external power supply for noise reduction. It is designed to be uncomplicated and effective for years to come. Dimensions: 4.25" x 3.625" x 1.5".

#245-1184 ..... $118.00 LIST **$75.86** EACH

Westone®

NEW

Choose what the pros use!

Westone was first to develop true 2-way and 3-way multi-driver in-ear monitor. Westone's monitoring and listening solutions are more accurate than typical monitor speakers and competitors' earbuds, and help protect your hearing!

Westone UM Series In-Ear Monitors

#242-3500 **#242-3502** **#242-3504** **#242-3508** **#242-3512**

- Balanced armature drivers for unmatched sound quality
- EPIC Pro cables, durable and tangle resistant
- Exclusive True-Fit technology for optimum comfort
- Made in the USA

MADE IN USA

All UM series monitors come with 6 different types of premium comfort tips, so you can choose the one that's best for your personal taste and performance. A handy travel pouch and cleaning tool are also included. For any models designated "RC," various colored interchangeable EPIC cables are also available to help you fully express your individual style (or for simple color coding).

Part #	Model	Drivers	Color	Sensitivity @ 1mW	List Price	Price Each
242-3500	UM1	1	Clear	114 dB	$165.00	**$129.00**
242-3502	UM1TeamO	1	Orange	114 dB	165.00	**109.00**
242-3504	UM1TeamR	1	Red	114 dB	165.00	**109.00**
242-3506	UM2	2	Clear	119 dB	420.00	**279.00**
242-3508	UM2 RC	2	Clear	119 dB	450.00	**299.00**
242-3512	UM3X RC	3	Clear	124 dB	575.00	**399.00**

Westone ETY-Plug Etymotic Earplugs

#242-3556 **#242-3558** **#242-3560** **#242-3562** **#242-3564** **#242-3566**

Etymotic Research Ety-Plugs™ are designed to reduce sound levels approximately 20 dB at all frequencies. Ety-Plugs lower the overall noise level (SPL) but preserve sound quality, so you can still hear what's going on around you. These are ideal for concerts, sporting events, mobile audio competitions, airline travel, industry, etc. Each pair comes with a small carrying case and black cord to help prevent loss.

#242-3556 (Beige)
#242-3558 (Red)
#242-3560 (Blue)
#242-3562 (Purple)
#242-3564 (Clear)
#242-3566 (Baby Blue)

NEW

..... **$16.50** EACH

Westone Monitor Vault

NEW

- Protective foam insert
- Durable molded plastic
- Made in USA

MADE IN USA

#242-3540

Westone's new Monitor Vault is designed specifically for transporting high-end earphones. Manufactured in Colorado of a high-impact polymer, it's the perfect size for travel and storage. Each Monitor Vault features a protective interior and weather resistant design. Available in clear, smoke, and orange. Dimensions: 3.5" x 2.7" x 1.6".

#242-3540 (Clear)
#242-3542 (Smoke)
#242-3544 (Orange) ..... **$19.50** EACH

New wireless and white housings — sweet!

Chauvet EZ Series Rechargeable RGBA Wash Lights

- Fully DMX compatible; also includes IR remote for completely wireless operation
- Built-in, sound-activated, automated and master/slave modes for simple setup
- Available with black or white housing and brackets (EZpars only)
- Ideal for uplighting walls, tables, pillars, and more, anywhere you want

NEW

The EZpar 64 RGBA and EZrail RGBA are battery-powered, cable-free LED slim fixtures that go anywhere light is needed. With a rechargeable battery that lasts up to 20 hours on a single charge, you'll be good to go for even the longest show.

#243-7896

#243-7898





#243-7900



Specifications: • DMX channels: (EZpar) 4 or 8; (EZrail) 2, 4, 5, 8, 10, or 18 • Light source: (EZpar) 180 (45 each red, green, blue, amber); (EZrail) 160 (40 each red, green, blue, amber) 0.25W LEDs rated for 100,000 hours • Typical run time: up to 8 hours (full on); up to 20 hours (single color) • Recharge time: 6 hours • Weight: (EZpar) 4 lbs.; (EZrail) 5.6 lbs. • Size: (EZpar) 10.8" x 10.8" x 2.6"; (EZrail) 19.9" x 2.9" x 6.1".

#243-7896 (EZpar black)

#243-7898 (EZpar white)

#243-7900 (EZrail) ..... $289.99 LIST **$199.99** EACH

Chauvet Obey 40 D-Fi 2.4 Wireless DMX Controller

NEW

The Obey™ 40 D-Fi 2.4 is a universal DMX controller capable of handling all the complexities of today's lighting fixtures, and with built-in wireless DMX technology it can easily send wireless DMX signals across the venue (to compatible devices) using the integrated D-Fi™ 2.4 GHz transmitter.

- Controls up to 12 fixtures with up to 16 channels each
- Compatible with all Chauvet D-Fi™ and Freedom™ Series devices
- Convenient 3U rackmount form factor
- Fog & strobe control, tap-sync, beat activation, and auto-run mode

#243-7916 ..... $299.99 LIST **$179.99** EACH

Chauvet SlimPAR 56 RGB Wash Lights

- Static colors and RGB color mixing with or without DMX controller
- Available with black or white housing and brackets
- White is perfect for houses of worship, upscale venues, and more

NEW

Now available in white, by popular demand, the SlimPAR™ 56 is an LED PAR can in a housing that is only 2" thick, so it can go where other PAR cans don't fit. It provides static colors and RGB color mixing with or without DMX, plus built-in automated and sound activated programs.

Specifications: • DMX channels: 3 or 7 • Light source: 108 (36 red, 36 green, 36 blue) 0.25W LEDs rated for 100,000 hours • Weight: 2.7 lbs. • Size: 9.5" x 8.8" x 2.2".

PRODUCT VIDEO parts-express.com

#243-7466 (Black)

#243-7922 (White) ..... $139.99 LIST **$99.99** EACH

See more wireless lighting options

Rechargeable DMX Search

Visit parts-express.com

Chauvet D-Fi 2.4 Tx/Rx Duo Wireless Combo

NEW

- Up to 656 ft. of cable-free DMX communication (line of sight)
- Compatible with all Chauvet D-Fi 2.4 and Freedom Series products
- Wirelessly sync multiple receivers to a single transmitter
- Individual Tx and Rx units, D-Fi control boards, and more available at www.parts-express.com

The D-Fi Series consists of compact, easy to use wireless DMX transmitters and receivers which alleviate the cable nightmares generally associated with setting up and tearing down your light show. Put your lights virtually anywhere you want them, and stop worrying about running miles of DMX cable over doorways, across aisles, and so forth.

#243-7830 ..... $289.99 LIST **$199.99** EACH

American DJ Quad Phase GO Rechargeable DMX Effect Light

- Rechargeable—no power outlet or cords required
- Up to 8 hours (full on) in a single charge
- Quad-color LED produces vibrant color changing beams
- Master/slave, automatic, and sound-activated programs built in

NEW

Specifications: • DMX channels: 4 • Typical run time: 8 hours (full on) • Recharge time: 6.5 hours • Dimensions: 13.5" x 7.5" x 13.25" (335 x 196 x 335 mm) • Weight: 14 lbs. (6.3 kg).

#244-4482 ..... $559.95 LIST **$399.99** EACH

American DJ Mega GO Flood Par Wide Beam Rechargeable LED DMX Wash Light

- Rechargeable—no power outlet or cords required
- Up to 8 hours (full on) on a single charge
- DMX compatible, or go totally wireless with RFC remote control (sold separately)
- Master/slave, automatic, and sound-activated programs built in

Specifications: • DMX channels: 7 • Beam angle: 120° • Light source: 27 RGB LEDs • Typical run time: 4.5 hours (full on) • Recharge time: 6.5 hours • Weight: 5 lbs. • Size: 10.5" x 10.25" x 4.5".

#244-4486 ..... $179.95 LIST **$129.99** EACH

KENWOOD *The 2013 head unit line-up is loaded with built-in features and advanced connectivity for smartphones.*

NEW

Kenwood KDC-105U CD MP3 WMA Car Stereo Receiver with USB & Aux-In

- Easy access front panel USB and 3.5 mm audio inputs
- USB mass storage access for MP3s stored on thumb drives and smartphones
- Stereo 2.5V RCA preamp outputs with built-in low pass filter
- Free Kenwood Music Control app for Android smartphones
- Detachable face and 22 watts RMS x 4 amplifier built-in

#267-4010 ..... $110.00 LIST **$84.98** EACH

Made for iPhone® with built-in Pandora® app support!

works with PANDORA internet radio

Kenwood KDC-155U CD MP3 WMA Car Stereo Receiver with USB & Aux-In

Same features as the KDC-105U and adds:
- Full iPod and iPhone music control and select app control without adapters
- Pandora connectivity for iPhone without the 40-hour mobile listening cap

#267-4011 ..... $110.00 LIST **$89.98** EACH

Kenwood KDC-255U CD MP3 WMA Car Stereo Receiver with USB & Aux-In

Same features as the KDC-155U and adds:
- Variable color illumination allows you to match the KDC-255U to your dash lights

#267-4012 ..... $120.00 LIST **$99.98** EACH

Cut the cord between your car stereo and smartphone with Bluetooth!

Kenwood KDC-BT555U CD MP3 WMA Car Stereo Receiver with Bluetooth

Same features as the KDC-255U and adds:
- Bluetooth music streaming for Apple®, Android®, Blackberry®, and Windows Phone® smartphones
- Bluetooth smartphone call control

#267-4016 ..... $210.00 LIST **$149.98** EACH

Finally...FLAC support for uncompressed audiophile quality playback!

Kenwood KMM-100U Mechless Digital Media Car Stereo Receiver

- Digital media receiver without a CD drive
- USB and 3.5 mm audio inputs for use with nearly all smartphones
- iPod® and iPhone® music control
- iPhone Pandora® app support
- Detachable face with stereo 2.5V RCA preamp outputs

flac

#267-4020 ..... $100.00 LIST **$79.98** EACH

Dual XDMA6510 CD MP3 WMA Car Stereo Receiver with USB & iPod iPhone Dock Control

Dual

- Front mounted USB port and 3.5 mm audio input
- Built-in iPhone and iPod control with an included mount
- Four 2V RCA line-level outputs
- Plays MP3s off of CDs and USB flash drives
- Includes wireless remote

iPod not included

NEW

#267-5028 ..... $99.99 LIST **$79.83** EACH

Includes iPhone holder and Bluetooth!

Dual XDMA6540 CD MP3 WMA Car Stereo Receiver with USB & iPod iPhone Dock Control

- Over 32,000 illumination color combinations
- SiriusXM and HD Radio ready (tuners required, sold separately)
- Bluetooth-enabled for smartphone streaming and hands-free calling
- Front mounted USB port and 3.5 mm audio input
- Built-in iPhone and iPod control with an included mount
- Includes wireless remote

NEW

#267-5031 ..... $169.99 LIST **$119.77** EACH

Dual XDVD1262 6.2" Touchscreen LCD DVD MP3 CD AM/FM Car Stereo Receiver



- Beautiful 6.2" touchscreen display
- Rear mounted USB, and front mounted 3.5 mm A/V, and SD card inputs
- USB connectivity for iPhone and iPod
- Rear view camera input
- Supports MP3 encoded CDs and DVDs
- 18W RMS x 4 amplifier built-in

NEW

#267-5037 ..... $249.99 LIST **$179.68** EACH

Kenwood DDX370 6.1" Touchscreen DVD Car Stereo Receiver

#267-4107

- Gorgeous 6.1" touchscreen display
- 22W RMS x 4 amplifier built-in
- Garmin, YouTube, and Netflix app support using iPhone 4 or iPhone 4S (KCA-IP202 cable required)
- USB connectivity for iPhone and iPod
- Pandora app support on iPhone
- Variable color illumination
- Rear view camera input

KENWOOD

#267-4106 ..... $530.00 LIST **$329.98** EACH

DDX470 6.1" Touchscreen DVD Car Stereo Receiver

Same features as the DDX370 and adds:
- Bluetooth hands-free and A2DP music streaming

#267-4107 ..... $580.00 LIST **$379.98** EACH

T3 Audio — great sound at an affordable price!

T3 Audio T5S 5-1/4" Component Speaker System

BUYOUT

- 5-1/4" 2-way full-range system brings true hi-fi quality to mobile installations
- Lightweight yet strong carbon fiber cone with butyl rubber surround
- 1.5" mid-woofer voice coil and 38 oz. magnet provide great power handling
- 1" aluminum dome tweeter is brilliant and durable
- 100 watts RMS / 200 watts peak, 4 ohm impedance
- Comes complete with grills and crossovers

$53.82 (4-UP)

#269-097 Compare to $119 $59.80 (1-3)

T3 Audio TC Series 2-way Coaxial Speaker Pairs

BUYOUT

#269-095 #269-096

- 2-way full-range system brings true hi-fi quality to mobile installations
- Lightweight yet strong carbon fiber cone with butyl rubber surround
- 1" woofer voice coil and 10 oz. magnet provide great power handling
- 1" aluminum dome tweeter is brilliant and durable
- 100 watts RMS / 200 watts peak, 4 ohm impedance

T3 Audio T57C 5" x 7" Coaxial Speaker Pair

$30.38 (4 PR-UP)

Specifications: • Mounting depth: 2.25".

#269-095 Compare to $95 $33.75 (1-3 PR)

T3 Audio T69C 6" x 9" Coaxial Speaker Pair

$35.55 (4 PR-UP)

- Stylish protective grills included

Specifications: • Mounting depth: 3.125".

#269-096 Compare to $108 $39.50 (1-3 PR)

Drop these into your factory speaker locations and rock out!

KICKER

NEW

Kicker DS Series 4 Ohm Coaxial Speakers

- UV-treated ribbed surround for precise linear excursion and optimum sound
- The DS693 is a 3-way system with a 2-1/2" midrange
- Heavy-duty motor structures
- Balanced dome tweeters

#267-6940 #267-6942 #267-6944

Part #	Model	Woofer Size	Power Handling (Watts) RMS	Peak	Frequency Response	Mounting Depth	List Price	Price Pair
267-6940	DS525	5-1/4"	35	70	45 - 20,000	1-7/8"	$69.95	**$49.95**
267-6941	DS60	6"	50	100	43 - 21,000	1-7/8"	79.95	**59.95**
267-6942	DS65	6-1/2"	50	100	40 - 20,000	1-13/16"	79.95	**59.95**
267-6943	DS68	6" x 8"	35	70	45 - 20,000	2-3/8"	79.95	**59.95**
267-6944	DS693	6" x 9"	70	140	30 - 20,000	3-1/4"	129.95	**79.95**

Easy way to upgrade your stock car audio system!

NEW

Dual

Dual DLS Series Quadaxial 4-Way Car Audio Speaker Pairs

- Moisture resistant injection-molded polypropylene woofers with butyl rubber surrounds
- Mylar dome midranges
- Dual piezo tweeter elements
- Includes grills

#267-5044 #267-5045 #267-5047 #267-5048

Part #	Model	Woofer Size	Power Handling (Watts) RMS	Peak	Frequency Response	Mounting Depth	List Price	Price Pair
267-5044	DLS404	4"	25	100	80 - 20,000	1.91"	$24.99	**$16.77**
267-5045	DLS524	5-1/4"	30	120	75 - 20,000	1.97"	29.99	**19.80**
267-5047	DLS654	6-1/2"	40	160	70 - 20,000	2.17"	39.99	**29.54**
267-5048	DLS694	6" x 9"	50	200	70 - 20,000	3.19"	59.99	**34.82**

RAVE **REVIEWS!** *"Excellent service! Six Stars!!!"* Tim V, Northfield MN

Brazilian-made for cars but also great for home use!

BUYOUT

Bravox PXW15D-2 15" DVC Subwoofer 2 Ohm Per Coil

BRAVOX

- 15" injection molded cone with Santoprene surround
- Santoprene spider resists fatigue
- 320 watt RMS power handling
- Lower than factory-direct prices

Specifications: • Power handling: 320 watts RMS/640 watts max • Impedance: 2 + 2 ohms • Frequency response: 20 to 2,000 Hz • Fs: 23 Hz • SPL: 89 dB 2.83V/1m • Vas: 9.18 cubic feet • Qts: 0.50 • Xmax: 7.3 mm • Dimensions: A: 15.625", B: 14.125", C: 7.125".

$69.80 EACH
#269-523

Compare to $190

Shop by brand for more Bravox buyouts!

Bravox Search

Limited supply—stock up!

BUYOUT

SCOSCHE

Scosche 12 AWG Speaker Wire 18 ft. Spool

Scosche 12 AWG speaker wire is made with premium copper-clad aluminum (CCA).

Compare to $15

$2.96 100-UP

#109-066.... $3.95 (1-11) $3.50 (12-99)

FAST ARTICULATE GUT-WRENCHING BASS

Dayton Audio Ultimax™ Series DVC Subwoofers

ULTIMAX SERIES DAYTON AUDIO

- Optimized for use in small, sealed enclosures
- Ultra-stiff composite cone
- Dual linear stiffness spiders
- Copper shorting rings
- 19 mm of Xmax for sweeping large volumes of air

PRODUCT VIDEO

NEW

UM10-22 Ultimax DVC 10" Subwoofer

Specifications: • Power handling: 500 watts RMS • Impedance: 4 ohms (2 ohms/coil) • Fs: 26.2 Hz • SPL: 86.4 dB 2.83V/1m • Vas 1.24 cu. ft. • Qts: 0.46 • Dimensions: A: 10.77", B: 9.32", C: 5.7".

#295-510..... $207.99 LIST **$159.60** EACH

UM12-22 Ultimax DVC 12" Subwoofer

Specifications: • Power handling: 600 watts RMS • Impedance: 4 ohms (2 ohms/coil) • Fs: 24.9 Hz • SPL: 87.7 dB 2.83V/1m • Vas: 2.53 cu. ft. • Qts: 0.59 • Dimensions: A: 12.38", B: 10.73", C: 6.22".

#295-512..... $233.99 LIST **$179.90** EACH

UM15-22 Ultimax DVC 15" Subwoofer

Specifications: • Power handling: 800 watts RMS • Impedance: 4 ohms (2 ohms/coil) • Fs: 19.5 Hz • SPL: 90.7 dB 2.83V/1m • Vas: 7.92 cu. ft. • Qts: 0.47 • Dimensions: A: 15.28", B: 13.78", C: 7.55".

#295-514..... $259.99 LIST **$199.80** EACH

All parameters derived with voice coils wired in series

Kicker Car Audio Subwoofers

KICKER

Parts Express is pleased to announce its partnership with one of the most recognized names in the car audio industry!

You've put too much blood and sweat into your ride to mess with a car stereo system that doesn't ignite a reaction... Kicker gets the reaction you crave, every time!

NEW

Legendary Kicker bass and the world's greatest value under $120!

Kicker Comp Series Subwoofers

- Best-sounding, loudest bass for the buck
- Tough, yellow double-stitched ribbed surround
- Vented pole piece for heat dissipation
- Extremely versatile for use in sealed, vented, and even free-air installations

Part #	Model	Diameter	Power Handling RMS (Watts)	Ohms	Sealed Box Size Range (cu. ft.)	Vented Box Size Range (cu. ft.)	List Price	Price Each
267-6901	C84	8"	100	4	0.5 to 1.2	0.66 to 1.2	$99.95	**$59.95**
267-6902	C88	8"	100	8	0.5 to 1.2	0.66 to 1.2	99.95	**59.95**
267-6904	C104	10"	150	4	1.0 to 2.4	1.25 to 1.75	119.95	**69.95**
267-6905	C108	10"	150	8	1.0 to 2.4	1.25 to 1.75	119.95	**69.95**
267-6907	C124	12"	150	4	1.25 to 3.5	1.75 to 2.25	129.95	**79.95**
267-6908	C128	12"	150	8	1.25 to 3.5	1.75 to 2.25	129.95	**79.95**
267-6909	C12D4	12"	200	4 + 4	1.25 to 3.5	1.75 to 2.25	149.95	**79.95**
267-6911	C154	15"	250	4	2.25 to 5.0	3.0 to 4.0	169.95	**119.95**
267-6912	C158	15"	250	8	2.25 to 5.0	3.0 to 4.0	169.95	**119.95**

High-quality, budget-priced interconnects from StreetWires!

STREETWIRES

StreetWires ZeroNoise 1 Series 2-Channel RCA Interconnects

- Twisted-pair construction for good noise rejection
- Color-coded bands for quick channel identification
- Sure grip molded connectors
- Flexible jacket for easy installation

Part #	Model	Length	List Price	Price (1-3)	Price (4-UP)
263-1700	ZN1205	0.5 m (1.6 ft.)	$6.99	**$2.91**	**$2.62**
263-1701	ZN1210	1 m (3.3 ft.)	7.99	**3.40**	**3.06**
263-1702	ZN1220	2 m (6.5 ft.)	8.99	**4.27**	**3.84**
263-1703	ZN1230	3 m (9.8 ft.)	9.99	**5.46**	**4.91**
263-1704	ZN1240	4 m (13.1 ft.)	11.99	**6.73**	**6.06**
263-1705	ZN1250	5 m (16.4 ft.)	13.99	**7.81**	**7.03**
263-1706	ZN1260	6 m (19.7 ft.)	16.99	**8.66**	**7.79**

Rope-lay construction for maximum performance!

StreetWires ZeroNoise 3 Series Power and Ground Cable

Extract maximum performance from your amplifiers—without the voltage drop experienced with other power cable brands.

- Flexible rope-lay design for installation in tight spaces
- 221°F rated chemical resistant jacket
- CEA-2015 compliant for true wire gauge

NEW

Part #	Wire Gauge	Jacket Color	For Systems	Length	List Price	Price (1-3)	Price (4-UP)
100-9316	8 AWG	Red	200 to 400 watts	1 ft.	$1.99	**$1.28**	-
100-9317	8 AWG	Red	200 to 400 watts	250 ft.	497.50	**189.96**	**$180.46**
100-9318	8 AWG	Black	200 to 400 watts	1 ft.	1.99	**1.28**	-
100-9319	8 AWG	Black	200 to 400 watts	250 ft.	497.50	**189.96**	**180.46**
100-9320	4 AWG	Red	400 to 1,000 watts	1 ft.	3.99	**2.76**	-
100-9321	4 AWG	Red	400 to 1,000 watts	100 ft.	399.99	**189.96**	**180.46**
100-9322	4 AWG	Black	400 to 1,000 watts	1 ft.	3.99	**2.76**	-
100-9323	4 AWG	Black	400 to 1,000 watts	100 ft.	399.99	**189.96**	**180.46**
100-9324	1/0 AWG	Red	≥1,000 watts	1 ft.	8.99	**6.94**	-
100-9325	1/0 AWG	Red	≥1,000 watts	50 ft.	449.50	**224.90**	**213.66**
100-9326	1/0 AWG	Black	≥1,000 watts	1 ft.	8.99	**6.94**	-
100-9327	1/0 AWG	Black	≥1,000 watts	50 ft.	449.50	**224.90**	**213.66**

Kenwood Performance Series Class D Monoblock Amplifiers

KENWOOD

- Cool, compact, and efficient Class D amplifier topologies
- High quality line and speaker-level inputs
- Line-level outputs for daisy chaining amplifiers
- Variable 50~200 Hz 24 dB/octave low-pass filter
- 40 Hz 0~18 dB bass boost
- Selectable 15/25 Hz 18 dB/octave infrasonic filter
- 10-200 Hz (±1 dB) frequency response

NEW

#267-4204

#267-4205

Part #	Mfg. #	Power Output (CEA-2006) 4 Ω RMS	Dimensions (W x H x D)	List Price	Price Each
267-4204	KAC-8105D	300W x 1	11-1/16" x 2-3/8" x 9-7/8"	$250.00	**$199.98**
267-4205	KAC-9105D	500W x 1	13-11/16" x 2-3/8" x 9-5/16"	350.00	**299.98**

Advanced features at an affordable price—with trusted, reliable performance

Kicker DX Series Amplifiers

NEW

- FIT™ Fail-Safe Integration Technology with advanced input design
- Accepts output from virtually any source unit
- FIT's isolated inputs reject electrical interference for noise-free operation
- FIT's three turn-on modes interface with virtually any vehicle's electrical system
- 2 ohm stable and 4 ohm bridgeable

Front

Back

Kicker's DX125.2 provides the perfect amount of clean power (60 watts RMS x 2 @ 2 ohms) for your front stage, and the 2 ohm stability makes it perfect for powering both front and rear speakers off a single amplifier. You can even power a modest subwoofer setup (125 watts RMS x 1) when bridging this amplifier to mono! Dimensions: 8-1/4" L x 8-5/16" W x 2-1/4" H.

#267-6960 ..... $129.95 LIST **$89.95** EACH

For even more power, step up to the DX200.4! Up to 200 watts RMS (4 channels @ 2 ohms) are on tap for a seriously rocking ride. 2 ohm stability and 4 ohm bridgeable make this the perfect all-in-one amplifier. High pass and low pass crossovers are built-in for complete system tuning. Dimensions: 10-1/4" L x 8-5/16" W x 2-1/4" H.

#267-6962 ..... $169.95 LIST **$139.95** EACH

The perfect power partner for Kicker subwoofers!

KICKER

Kicker ZX300.1 300 Watt Mono Amplifier

NEW

- Smallest chassis ever for a ZX Series amplifier
- Tried-and-true Class AB amplifier topology
- KickEQ™ Boost with variable gain up to 18 dB centered at 40 Hz
- 80 Hz, 24 dB/octave low-pass crossover

Kicker's ZX300.1 is designed to power Kicker subwoofers, and offers many advanced features found at twice the price elsewhere: 12V remote turn-on, DC offset and audio signal sensing, differential high and low level inputs for integration in any system, and advanced protection circuitry: low/high voltage, over-current, and thermal protection with indication on end panel.

Front

Back

FIT™ (Fail-Safe Integration Technology) accepts output from virtually any factory or aftermarket source—low signal-level to high speaker-level—and FIT's isolated inputs reject electrical interference for noise-free operation. Dimensions: 13-1/2" L x 9-5/8" W x 2-1/8" H.

#267-6951 ..... $229.95 LIST **$179.95** EACH

Need more info? Visit parts-express.com

Kicker Search

Clearance CENTER

6 ft. White USB 2.0 A Male to B Male Cable

- For printers and other USB peripherals
- Built-in strain reliefs extend cable life

Incredible DEAL!

Compare to $3

#139-080..88¢(1-9) 75¢(10-19)

65¢ (20-UP)

Perfect for classrooms!

Video Projector AV Extender Wall Plate System

- Six audio/video signals fit easily into a single gang electrical box
- Accommodates: VGA, S-video, composite video, 3.5 mm stereo audio and left/right RCA audio

$149.00 EACH #183-350

Was $229.00

Portable versatility with USB, SD card, and 3.5 mm audio inputs and FM tuner!

Pure Acoustics Hipbox Portable Music Box

$19.50 EACH #303-526

Was $29.98

USB to VGA Video Converter

- Great for office, mobile, and home use
- Extends desktop to left, right, above, or below
- Mirror the main display
- Simple operation

$29.00 EACH #180-989

Was $49

Belkin AC/DC USB Charging Kit for Samsung and more

- USB AC outlet power supply included
- Works with any USB charge-capable device up to one amp

$1.48 EACH #139-014

Compare to $20

Fire up the laptop and surf the web on your HDTV

Video Converter USB to HDMI plus Audio

- Simple connection via USB jack
- HDMI output for video and audio
- High resolution up to 1920 x 1080

$45.00 EACH #180-988

Was $84.50

Save up to 95% OFF the original retail price!

WOW!

Audio and Video Cable Clearance!

- High quality cables from brand names you know
- Component video cables can be repurposed as analog audio or digital audio cables
- Y-adapters are great for smartphone integration with modern audio systems
- Hurry, quantities are limited!

Belkin PureAV 6 ft. Component Video and RCA Audio Kit

$2.50 EACH #189-276

Compare to $12

3.5 mm Stereo 15 ft. Coiled Headphone Extension Cable

$1.89 EACH #240-092

Was $3.50

Belkin Fast Cat 5e 14 ft. Red Snagless Patch Cable

As Low As

95¢ EACH #109-456

Compare to $4

Part #	Description	Length	Compare To	Price Each
Component Video Cables				
189-252	AR AP091N Gold Plated, Blue	6 ft.	$16.00	$3.25
189-262	Belkin Nickel Plated, Gray	6 ft.	13.50	2.39
189-266	Belkin Nickel Plated, Black	12 ft.	14.00	3.88
189-272	Belkin Deluxe Gold Plated, White	6 ft.	13.50	2.97
189-274	Belkin Deluxe Gold Plated, White	12 ft.	15.00	3.88
189-268	Belkin Premium Gold Plated, White	6 ft.	12.00	2.97
189-189	Belkin PureAV Blue Series Gold Plated, Black	12 ft.	33.00	3.88
189-714	Gold Plated, Black	6 ft.	2.90	1.00
Component Video + Audio Cables				
189-276	Belkin Component + RCA Audio Kit, Black	6 ft.	$12.00	$2.50
189-264	Belkin Component + RCA Audio Kit, Gray	6 ft.	15.00	3.50
189-257	RCA DT6CHP Component + Toslink Audio	6 ft.	9.95	2.00
RG-6 F Male-Male Coaxial Antenna Cables				
189-256	RCA DT6C Gold Plated Metal Connectors	6 ft.	$9.95	$1.96
189-255	RCA DT12C Gold Plated Metal Connectors	12 ft.	9.95	2.00
189-210	RG-6 Molded Ends	8 ft.	2.90	0.35

Other incredible cable deals

189-242	Belkin Composite RCA Audio/Video	6 ft.	$8.95	$1.49
189-035	Belkin IEEE-1394 6-Pin to 4-Pin FireWire	6 ft.	12.00	1.98
189-206	S-Video Male to Male	8 ft.	3.95	0.19
249-215	AR AP080N Toslink Digital Optical Audio	3 ft.	11.50	2.50
249-126	RCA AH7202FD 3.5 mm Headphone Y-Adapter White	4"	6.00	0.97
249-064	Recoton AC237 Stereo RCA Patch	20 ft.	8.00	0.97
249-030	3.5 mm Stereo Coiled Headphone Extension	15 ft.	5.00	1.68

$87.00 PAIR #310-058

Was $142.50

Ready for installation in your outdoor listening space

Dayton Audio IO650W 6-1/2" 3-Way Indoor/Outdoor White Speaker Pair

Network Video Adapter – DVI plus Audio over Ethernet

- View your office PC on a large-screen TV via your home network
- USB ports for remote keyboard and mouse
- Supports resolutions up to 1400 x 1050

$55.00 EACH #180-987

Was $99.50

Passive surround sound speaker bar!

Microacoustics 5-Channel Speaker Bar

$59.00 EACH #252-400

Was $118.79

Visit parts-express.com/clearance for hundreds of amazing limited quantity deals!

PARTS EXPRESS
YOUR ELECTRONICS CONNECTION
725 Pleasant Valley Dr.
Springboro, OH 45066-1158
Fax: 937-743-1677

CUSTOMER ID | KEY CODE

PRSRT STD
U.S. POSTAGE
PAID
PARTS EXPRESS

© 2013 Parts Express

Hot Summer Deals

Save time and money when you build it yourself!

Knock-Down MDF Subwoofer Enclosures

Page 20

STARTING AT $71.67 EACH

HOT new wireless lighting options - now availaible in white!

CHAUVET

Chauvet EZpar 64 RGBA Rechargeable DMX LED Par 64 Wash Lights *Page 26*

NEW $199.99 EACH

List $289.99

Customizable with over 32,000 illumination color combinations

Dual

Dual XDMA6540 CD MP3 WMA Car Stereo Receiver with USB & iPod dock

Page 27

NEW $119.77 EACH

List $169.99

Ideal for audio installations in classrooms or offices

DAYTON AUDIO

SAVE $20!

Dayton Audio DA30 2 x 15W Class D Bridgeable Mini Amplifier

Page 23

SPECIAL $58.00 EACH

Regularly $78.00

The "Magic Box" delivers amazing portable sound without wires or Bluetooth!

WOW!

Inductive Coupling Wireless Powered Speaker for Smartphones and MP3 Players *Page 7*

NEW $19.70 EACH

List $29.99